

Drinking Water Surveillance Program

**PORT DOVER
WATER SUPPLY
SYSTEM**

Annual Report 1989



Ontario

**Environment
Environnement**

91-05969/

**PORT DOVER
WATER SUPPLY SYSTEM**

DRINKING WATER SURVEILLANCE PROGRAM

ANNUAL REPORT 1989

Cette publication technique n'est disponible qu'en anglais.

January 1991



Copyright: Queen's Printer for Ontario, 1991
This publication may be reproduced for non-commercial purposes
with appropriate attribution.

PIBS 1357



EXECUTIVE SUMMARY

DRINKING WATER SURVEILLANCE PROGRAM

PORT DOVER WATER SUPPLY SYSTEM 1989 ANNUAL REPORT

The Drinking Water Surveillance Program (DWSP) for Ontario is a monitoring program providing immediate, reliable, current information on drinking water quality. The DWSP officially began in April 1986 and is designed to eventually include all municipal supplies in Ontario. In 1989, 65 plants were being monitored.

The Port Dover Water Supply System consists of a conventional treatment plant which treats water from Lake Erie. This process consists of coagulation, flocculation, sedimentation, filtration and disinfection and the plant has a design capacity of 11.4 X 1000 M³/day. The Doan's Hollow Infiltration Pond is used as an additional source and, once chlorinated, makes up approximately 25 percent of the water supplied to Port Dover. Both sources supply a population of approximately 4,700.

Water samples from the plant: raw and treated; Doan's Hollow: raw and treated and two distribution system sites were taken on a monthly basis and analyzed for the presence of 180 parameters. Parameters were divided into the following groups: Bacteriological, Inorganic and Physical (Laboratory Chemistry, Field Chemistry and Metals) and Organic (Chloroaromatics, Chlorophenols, Pesticides and PCB, Phenolics, Polyaromatic Hydrocarbons, Specific Pesticides and Volatiles). Chlorophenols and Specific Pesticides were analyzed in June and November only.

A summary of results is shown in Table A.

Turbidity of the treated water from Doan's Hollow Infiltration Pond was above the ODWO in December. The District Officer was notified.

All other Inorganic and Physical parameters were below any applicable health related ODWOs.

Samples were analyzed monthly for the presence of approximately 110 Organics. Levels did not exceed health related guidelines.

During 1989, the DWSP sampling results indicated that the Port Dover Water Supply System produced good quality water at the plant and this quality was maintained in the distribution system.

TABLE A

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE BY SCAM (1988)

SCAM	PORT DOVER										DOUGS HOLLOW									
	RAW					SITE 1					SITE 2					RAW				
	TESTS	POSITIVE	TESTS	POSITIVE	TESTS	TESTS	POSITIVE	TESTS	POSITIVE	TESTS	TESTS	POSITIVE	TESTS	POSITIVE	TESTS	TESTS	POSITIVE	TESTS	POSITIVE	TESTS
BACTERIOLOGICAL	33	21	43	33	7	21	3	2	66	24	5	20	21	19	90	24	16	66		
CHEMISTRY (FLD)	39	36	92	72	72	100	12	9	75	103	97	94	26	26	100	53	52	98		
CHEMISTRY (LAB)	240	194	80	239	174	72	35	30	85	311	263	84	180	146	81	180	139	77		
METALS	287	166	57	288	130	45	47	27	57	400	226	54	216	102	47	216	111	51		
CHLOROMANOMICS	168	0	0	154	0	0	14	0	0	126	0	0	126	0	0	126	0	0		
CHLOROPHENOLS	6	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PAN	191	0	0	191	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PESTICIDES & PCB	408	0	0	387	0	0	34	0	0	254	0	0	306	0	0	306	0	0		
PHENOLICS	11	6	54	12	5	41	0	0	0	0	0	0	9	3	33	9	1	11		
SPECIFIC PESTICIDES	39	0	0	38	0	0	1	0	0	9	0	0	9	0	0	9	0	0		
VOLATILES	348	9	2	348	44	12	29	4	13	261	36	13	261	0	0	232	32	13		
	1770	432	1768	432		175	72		1408	627		1300	296		1301	351				

NO KNOWN HEALTH RELATED GUIDELINES WERE EXCEEDED

A POSITIVE VALUE DENOTES THAT THE RESULT IS GREATER THAN THE STATISTICAL LIMIT OF DETECTION AND IS QUANTIFIABLE
 A " " INDICATES THAT NO SAMPLE WAS TAKEN

DRINKING WATER SURVEILLANCE PROGRAM

PORT DOVER WATER SUPPLY SYSTEM 1989 ANNUAL REPORT

INTRODUCTION

The Drinking Water Surveillance Program (DWSP) for Ontario is a monitoring program providing immediate, reliable, current information on drinking water quality. The DWSP officially began in April 1986 and is designed to eventually include all municipal supplies in Ontario. In 1989, 65 plants were being monitored.

The DWSP was initiated for the Port Dover Water Supply System in the spring of 1987. Annual reports were published for 1987 and 1988 (ISSN 0840-5328).

This report contains information and results for 1989.

In order to accommodate the increasing number of plants on the DWSP and to facilitate the timely completion of the 1989 annual reports, plants with two or more years of published data will receive an abbreviated annual report. This report maintains the same general format as in previous years but does not include a comprehensive discussion of results. For more detail on the parameters analyzed and discussion of results, consult the 1987 and 1988 reports.

PLANT DESCRIPTION

The Port Dover Water Supply System includes two raw water sources. The primary supply is a conventional treatment plant which treats water from Lake Erie. The plant process consists of coagulation and flocculation (upflow clarifier), sedimentation, filtration and disinfection. The treatment plant has a design capacity of $11.4 \times 1000 \text{ m}^3/\text{day}$ and flows on day of sampling ranging from $1.7 \times 1000 \text{ m}^3/\text{day}$ to $3.8 \times 1000 \text{ m}^3/\text{day}$. The secondary supply is an infiltration pond. Water is collected in the Doan's Hollow Infiltration pond and is chlorinated prior to distribution. The Doan's Hollow Infiltration pond has sample day flows of $1.2 \times 1000 \text{ m}^3/\text{day}$. This source supplies approximately 20 to 30 percent of the total amount of treated water to the Port Dover System. Together, the water treatment plant and the infiltration pond serves a population of approximately 4,700.

The plant location is shown in Figure 1. Plant process details, in a block schematic, are shown in Figure 2. General plant information is presented in Table 2.

SAMPLING AND ANALYSES

Plant operating personnel perform analyses on parameters for process control (Table 1).

FIGURE 1

DRINKING WATER SURVEILLANCE PROGRAM

SITE LOCATION MAP

PORT DOVER WATER SUPPLY SYSTEM




FIGURE 2

PORT DOVER WATER TREATMENT PLANT

SCHEMATIC

CHARACTERISTICS




TABLE 1

DRINKING WATER SURVEILLANCE PROGRAM ANNUAL REPORT
IN-PLANT MONITORING PORT DOVER WSS 1989

<u>PARAMETER</u>	<u>LOCATION</u>	<u>FREQUENCY</u>
Chlorine residual-free	Treated water	3 times/day
Ph	Treated water	monthly
Temperature	Raw wet well	daily
Turbidity	Treated water	continuous

TABLE 2

DRINKING WATER SURVEILLANCE PROGRAM ANNUAL REPORT

GENERAL INFORMATION

PORT DOVER WATER SUPPLY SYSTEM

LOCATION: 316 NELSON STREET
PORT DOVER, ONTARIO
NOA 1N0
(519-583-1930)

SOURCE: RAW WATER SOURCE - LAKE ERIE

RATED CAPACITY: 11.4 (1000 M³/DAY)

OPERATION: MUNICIPAL

PLANT SUPERINTENDENT: W. WIGHT

MINISTRY REGION: WEST CENTRAL

DISTRICT OFFICER: MR. P. ROSTERN

<u>MUNICIPALITY SERVED</u>	<u>POPULATION</u>
PORT DOVER	4,682

The Port Dover Water Treatment Plant and distribution system locations were sampled for the presence of approximately 180 parameters monthly in 1989. The Doan's Hollow Infiltration Pond was sampled monthly with the exception of May, June and September. Specific Pesticides and Chlorophenols were sampled in June and November only. Polyaromatic Hydrocarbons and Phenolics are only analyzed in the raw and treated water at the plant. As of August 1989, the analysis of Triazine pesticides was dropped from the distribution sample. Laboratory analysis was conducted at the Ministry of the Environment facilities in Rexdale, Ontario.

RESULTS

Field Chemistry measurements were recorded on the day of sampling and were entered on the DWSP database as submitted by plant personnel.

Table 3 contains information on the sample day retention time, flow rate and treatment chemicals used and their associated dosages.

Table 4 is a summary break-down of the number of water samples analyzed by parameter and by water type. The number of times that a positive or trace result was detected is also reported.

Positive denotes that the result is greater than the statistical limit of detection established by the Ministry of the Environment (MOE) laboratory staff and is quantifiable. Trace (<T) denotes

that the level measured is greater than the lowest value detectable by the method but lies so close to the detection limit that it cannot be confidently quantified.

Table 5 presents the results for parameters detected on at least one occasion.

Table 6 lists all parameters analyzed in the DWSP.

Associated guidelines and detection limits are also supplied on tables 5 and 6. Parameters are listed alphabetically within each scan.

DISCUSSION

General

Water quality is judged by comparison with the Ontario Drinking Water Objectives (ODWO's) as defined in the 1984 publication (ISBN 0-7743-8985-0). The Province of Ontario has health related and aesthetic objectives for 49 parameters. These are currently under review. When an ODWO is not available, guidelines/limits from other agencies are consulted. The Parameter Listing System (PALIS), recently published (ISBN 0-7729-4461-X) by the MOE, catalogues and keeps current over 1750 guidelines for 650 parameters from agencies throughout the world.

Many of the compounds detected are naturally occurring or are treatment by-products.

IN THIS REPORT, DISCUSSION IS LIMITED TO THE TREATED AND DISTRIBUTED WATER AND ADDRESSES ONLY THOSE PARAMETERS WITH CONCENTRATIONS ABOVE GUIDELINE VALUES AND ORGANIC PARAMETERS WITH POSITIVE RESULTS.

Results of the treated water indicate that one health related guideline, turbidity, was exceeded.

Bacteriology

Standard Plate Count

Four treated water samples from the plant, two treated water samples from the infiltration pond and one sample in the distribution for standard plate count were reported above the ODWO aesthetic guideline of 500 counts/mL, indicating some deterioration in the water quality.

Inorganic and Physical

Turbidity

The turbidity of the treated water from the plant was reported above the ODWO health related guideline of 1.0 Formazin Turbidity

Units (FTU) in February. When reviewing the February results, it is evident that the raw and treated samples were reversed, as also noted by the trihalomethanes, and the results should therefore be discounted.

The turbidity from the infiltration pond was reported at 1.19 FTU in October and 3.5 FTU in December. The December turbidity was confirmed by the field value and the District Officer was notified.

Hardness

The aesthetic ODWO for hardness indicates that a level of between 80 and 100 mg/L as the equivalent quantity of calcium carbonate is appropriate and water supplies with a hardness greater than 200 mg/L are considered poor. Hardness values in the Doan's Hollow infiltration pond ranged from 258 to 282 mg/L as calcium carbonate. Another parameter associated with hardness, conductivity, was also high.

Aluminum

Aluminum values exceeded the ODWO operational guideline of 100 µg/L in ten treated and distribution samples with a maximum of 290 µg/L.

Organic Parameters

Trihalomethanes

Trihalomethanes (THMs) are acknowledged to be produced during the water treatment process and will always occur in chlorinated surface waters. THMs are comprised of Chloroform, Chlorodibromomethane and Dichlorobromomethane. Bromoform occurs occasionally. Results are reported for the individual compounds as well as for total THMs. All total THM occurrences, both treated and distribution samples ranging from 28.5 to 63.4 ug/L with a combined average of 45.8 ug/L, were well below the ODWO of 350 ug/L.

CONCLUSIONS

Health related ODWO guidelines were exceeded in 1989 for one parameter.

Turbidity was above the guideline in one treated sample from the Doan's Hollow infiltration pond.

The results listed in this report are consistent with results reported for previous years.

The treated water was generally of good quality water and this was maintained in the distribution system.

TABLE 3

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

SAMPLE DAY CONDITIONS

TREATMENT CHEMICAL DOSAGES (MG/L)

DATE	PORT DOVER		CHLORINATION		DOAMS HOLLOW		CHLORINATION	
	DELAY *	FLOW	TIME(HRS)	(1000G3)	DELAY *	FLOW	TIME(HRS)	(1000G3)
JAN 23	.	.	.	.	.5	1.2	01.26	.
JAN 24	2.0	2.0	04.43	.	.	.	.	.
FEB 27	.	.	.	.	.5	1.2	01.20	.
FEB 28	2.0	1.7	08.76	.	.	.	.	.
MAR 28	.	.	.	.	.5	1.2	01.26	.
MAR 29	1.5	.0	05.91	.	.	.	.	.
APR 24	2.0	2.1	09.04	.	.5	1.2	01.26	.
MAY 24	2.0	4.1	06.61	.	.	.	.	.
JUN 27	2.0	3.4	06.57	.	.	.	.	.
JUL 24	.	.	.	.	.5	1.2	00.63	.
JUL 25	2.0	.0	06.13	.	.	.	.	.
AUG 28	2.0	3.8	06.10	.	.5	1.2	00.66	.
SEP 26	2.0	.0	07.55	.	.	.	.	.
OCT 23	.	.	.	.	.5	1.2	01.51	.
OCT 24	2.0	2.2	09.23	.	.	.	.	.
NOV 27	.	.	.	.	.2	.0	01.82	.
NOV 28	2.0	1.9	10.66	.	.0	1.2	14.60	.
DEC 18	.	.	.	.	.	.	.	.
DEC 19	.0	2.5	10.88	.	.	.	.	.

* THE DELAY TIME BETWEEN THE RAW AND TREATED WATER SAMPLING, SHOULD ESTIMATE THE RETENTION TIME

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

SCAM	PARAMETER	PLANT				DOARS HOLLOW													
		PORT DOVER		SITE		DOARS HOLLOW		SITE											
		RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED										
CHEMISTRY (LAB)	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE										
	COLOUR	12	3	8	11	1	9	2	0	2	16	6	10	9	7	2	9	8	1
	CONDUCTIVITY	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	9	0
	FLUORIDE	12	12	0	12	12	0	2	2	0	16	16	0	9	9	0	9	9	0
	HARDNESS	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	9	0
	LANGLIERS INDEX	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	9	0
	MAGNESIUM	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	9	0
	SODIUM	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	9	0
	AMMONIUM TOTAL	12	8	2	12	2	4	2	2	0	18	6	7	9	3	4	9	2	2
	NITRITE	12	3	8	12	1	10	2	0	2	18	3	12	9	0	9	1	7	1
	TOTAL NITRATES	12	12	0	12	12	0	2	2	0	18	18	0	9	0	9	9	0	0
	NITROGEN TOT KJELD	12	12	0	12	12	0	2	2	0	18	16	2	9	8	1	9	6	3
	PH	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	0	0
	PHOSPHORUS FIL REACT	12	2	7	12	1	2	2	2	0	18	18	0	9	0	9	2	7	0
	PHOSPHORUS TOTAL	12	10	2	12	2	10	2	2	0	18	18	0	9	0	9	3	6	0
	SULPHATE	12	12	0	12	12	0	2	2	0	18	18	0	9	9	0	9	9	0
	TURBIDITY	12	12	0	12	11	1	2	2	0	18	18	0	9	9	0	9	9	0
*TOTAL SCAM CHEMISTRY (LAB)		240	194	27	239	174	36	35	30	4	311	263	31	180	146	19	180	139	27
METALS																			
	SILVER	12	0	1	12	0	1	2	0	0	17	0	0	9	0	1	9	0	0
	ALUMINUM	12	12	0	12	12	0	2	2	0	17	17	0	9	9	0	9	9	0
	ARSENIC	12	8	4	12	2	10	2	0	2	17	1	16	9	1	8	9	1	8

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

PLANT PORT DOVER SITE		DOAKS HOLLOW														
SCAM	PARAMETER	RAW		TREATED		SITE 1		SITE 2		RAW		TREATED				
		TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE			
CHLOROAROMATICS	HEXACHLOROBUTADIENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	123 TRICHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	1234 T-CHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	1235 T-CHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	124 TRICHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	1245 T-CHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	135 TRICHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	HCB	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	HEXACHLOROETHANE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	OCTACHLOROETHYLENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	PENTACHLOROBENZENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	236 TRICHLOROTOLUENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
	245 TRICHLOROTOLUENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0
26A TRICHLOROTOLUENE	12	0	0	11	0	0	1	0	0	9	0	0	9	0	0	
*TOTAL SCAM CHLOROAROMATICS		168	0	0	154	0	0	14	0	0	126	0	0	126	0	0
CHLOROPHENOLS	234 TRICHLOROPHENOL	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-
	2345 T-CHLOROPHENOL	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-
	2356 T-CHLOROPHENOL	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-
	245-TRICHLOROPHENOL	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-
	246-TRICHLOROPHENOL	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

SCAM	PARAMETER	PLANT PORT DOVER SITE		RAW		TREATED		SITE 1		SITE 2		RAW		TREATED	
		TOTAL	POSITIVE	TRACE	TOTAL	POSITIVE	TRACE	TOTAL	POSITIVE	TRACE	TOTAL	POSITIVE	TRACE	TOTAL	POSITIVE
CHLOROPHENOLS	PENTACHLOROPHENOL	1	0	0	1	0	0	0	0	0	0	0	0	0	0
*TOTAL SCAM	CHLOROPHENOLS	6	0	0	6	0	0	0	0	0	0	0	0	0	0
PAH	PHENANTHRENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	ANTHRACENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	FLUORANTHENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	PYRENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	BENZO(A)ANTHRACENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	CHRYSENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	DIMETH. BENZ(A)ANTHR	6	0	0	6	0	0	0	0	0	0	0	0	0	0
	BENZO(E) PYRENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	BENZO(B) FLUORANTHENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	PERYLENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	BENZO(K) FLUORANTHENE	12	0	1	12	0	0	0	0	0	0	0	0	0	0
	BENZO(A) PYRENE	5	0	0	5	0	0	0	0	0	0	0	0	0	0
	BENZO(G,H,I) PERYLENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	DIBENZO(A,H) ANTHRAC	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	INDENO(1,2,3-C,D) PY	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	BENZO(B) CHRYSENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
	CORONENE	12	0	0	12	0	0	0	0	0	0	0	0	0	0
*TOTAL SCAM	PAH	191	0	1	191	0	0	0	0	0	0	0	0	146	0

DOAMS HOLLOW

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

SCAM	PARAMETER	PLANT PORT DOVER SITE		TREATED				SITE 1				SITE 2				RAM				DOWNS HOLLOW			
		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE		TOTAL POSITIVE TRACE	
		RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED	RAW	TREATED
PESTICIDES & PCB	ALDRIN	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ALPHA BHC	12	0	5	11	0	6	1	0	0	0	9	0	3	0	9	0	0	0	9	0	0	0
	BETA BHC	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	LINDANE	12	0	0	11	0	1	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ALPHA CHLORDANE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	GAMMA CHLORDANE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	DIELDRIN	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	METHOXYCHLOR	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ENDOSULFAM I	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ENDOSULFAM II	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ENDRIN	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ENDOSULFAM SULPHATE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	HEPTACHLOR EPOXIDE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	HEPTACHLOR	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	MIREX	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	OXYCHLORDANE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	OPDGT	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	PCB	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	DGO	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	PPDDE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	PPDGT	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	AMETRINE	12	0	0	11	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
	ATRAZINE	12	0	0	12	0	0	1	0	0	0	9	0	0	0	9	0	0	0	9	0	0	0
		12	0	1	12	0	0	1	0	0	0	5	0	0	0	9	0	0	0	9	0	0	0

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

PLANT PORT DOVER SITE		DOAMS HOLLOW														
SCAM	PARAMETER	RAM		TREATED		SITE 1		SITE 2		RAM		TREATED				
		TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE			
PESTICIDES & PCB	ATRAZONE	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	CYANAZINE (BLADEK)	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	D-ETHYL ATRAZINE	12	0	0	12	0	1	1	0	0	5	0	9	0	0	0
	D-ETHYL SINIAZINE	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	PROMETONE	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	PROPACINE	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	PROMETRYNE	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	METRIBUZZIN (BENCOR)	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	SINIAZINE	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
	ALACHLOR (LASMO)	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0
METOLACHLOR	12	0	0	12	0	0	1	0	0	5	0	9	0	0	0	
*TOTAL SCAM PESTICIDES & PCB		408	0	6	387	0	8	34	0	0	254	0	306	0	306	0
PHENOLICS	PHENOLICS	11	6	4	12	5	7	-	-	-	-	9	3	4	9	1
	*TOTAL SCAM PHENOLICS	11	6	4	12	5	7	0	0	0	0	9	3	4	9	1
SPECIFIC PESTICIDES	TOMAPHENE	12	0	0	11	0	0	1	0	0	9	0	9	0	9	0
	2,4,5-T	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-
	2,4-D	1	0	0	1	0	0	-	-	-	-	-	-	-	-	-

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

SCAN	PARAMETER	PLANT PORT DOVER SITE		DOANS HOLLOW			
		TREATED		SITE 1		SITE 2	
		RAW	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE
SPECIFIC PESTICIDES							
	2,4-D8	1	0	0	1	0	0
	2,4 D PROPIONIC ACID	1	0	0	1	0	0
	DICAMBA	1	0	0	1	0	0
	PICHLORAN	0	0	0	0	0	0
	SILVEX	1	0	0	1	0	0
	DIAZINON	1	0	0	1	0	0
	DICHLOROVOS	1	0	0	1	0	0
	CHLORPYRIFOS	1	0	0	1	0	0
	ETHION	1	0	0	1	0	0
	AZINPHOS-METHYL	0	0	0	0	0	0
	MALATHION	1	0	0	1	0	0
	NEVINPHOS	1	0	0	1	0	0
	METHYL PARATHION	1	0	0	1	0	0
	METHYLTRITHION	1	0	0	1	0	0
	PARATHION	1	0	0	1	0	0
	PHORATE	1	0	0	1	0	0
	RELDAN	1	0	0	1	0	0
	RONNEL	1	0	0	1	0	0
	AMINOCARB	0	0	0	0	0	0
	BENOMYL	1	0	0	1	0	0
	BUX	0	0	0	0	0	0
	CARBOFURAN	1	0	0	1	0	0
	CICP	1	0	0	1	0	0

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1989)

PLANT		PORT DOVER		DOORS HOLLOW														
SITE		SITE 1		SITE 2		RAW		TREATED										
PARAMETER	RAW	TREATED	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE	TOTAL POSITIVE TRACE									
SPECIFIC PESTICIDES																		
DIALATE	1	0	0	0	0	0	0	0	0									
EPTAM	1	0	0	0	0	0	0	0	0									
IPC	1	0	0	0	0	0	0	0	0									
PROPORUR	1	0	0	0	0	0	0	0	0									
CARBARYL	1	0	0	0	0	0	0	0	0									
BUTYLATE	1	0	0	0	0	0	0	0	0									
*TOTAL SCAM SPECIFIC PESTICIDES	39	0	0	38	0	0	1	0	0	9	0	0	0					

VOLATILES																		
BENZENE	12	0	1	12	0	2	1	0	0	9	0	2	9	0	0	8	0	0
TOLUENE	12	0	2	12	0	7	1	0	1	9	0	3	9	0	1	8	0	3
ETHYLBENZENE	12	0	1	12	0	3	1	0	1	9	0	1	9	0	0	8	0	0
P-XYLENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
M-XYLENE	12	0	1	12	0	2	1	0	0	9	0	1	9	0	0	8	0	0
O-XYLENE	12	0	1	12	0	5	1	0	0	9	0	3	9	0	0	8	0	0
STYRENE	12	0	4	12	0	7	1	0	1	9	0	7	9	0	0	8	0	2
1,1 DICHLOROETHYLENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
METHYLENE CHLORIDE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
1,1,2,2TETRACHLOROETHYLENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
1,1 DICHLOROETHANE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
CHLOROFORM	12	3	7	12	11	1	1	1	1	9	9	0	9	0	1	8	8	0
111, TRICHLOROETHANE	12	0	1	12	0	1	1	0	0	9	0	0	9	0	0	8	0	0

TABLE 4

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY

SUMMARY TABLE OF RESULTS (1969)

SCAM	PARAMETER	PLANT PORT DOVER SITE				DOAMS HOLLOW													
		RAW		TREATED		SITE 1		SITE 2		RAW		TREATED							
		TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE	TOTAL	POSITIVE TRACE						
VOLATILES	1,2 DICHLOROETHANE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	CARBON TETRACHLORIDE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	1,2 DICHLOROPROPANE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	TRICHLOROETHYLENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	DICHLOROBROMOETHANE	12	2	5	12	11	1	1	1	0	9	0	0	9	0	0	8	0	0
	112 TRICHLOROETHANE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	CHLORODIBROMOETHANE	12	2	1	12	11	1	1	1	0	9	0	0	9	0	0	8	0	0
	T-CHLOROETHYLENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	BROMOFORM	12	0	2	12	0	11	1	0	0	9	0	0	9	0	0	8	0	0
	1122 T-CHLOROETHANE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	CHLOROBENZENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	1,4 DICHLOROBENZENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	1,3 DICHLOROBENZENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	1,2 DICHLOROBENZENE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	ETHYLENE DIBROMIDE	12	0	0	12	0	0	1	0	0	9	0	0	9	0	0	8	0	0
	TOTAL TRINALOETHANES	12	2	3	12	11	0	1	1	0	9	9	0	9	0	0	8	0	0
	*TOTAL SCAN VOLATILES	348	9	29	348	44	41	29	4	4	261	36	26	261	0	9	232	32	10
	*TOTAL GROUP ORGANIC	1171	15	40	1136	49	56	78	4	4	650	36	29	857	3	13	828	33	13
TOTAL		1770	432	141	1768	432	190	175	72	24	1488	627	161	1300	296	94	1301	351	93

KEY TO TABLE 5 and 6

- A** **ONTARIO DRINKING WATER OBJECTIVES (ODWO)**
1. Maximum Acceptable Concentration (MAC)
1+. MAC for Total Trihalomethanes
1*. MAC for Bacteriological Analyses
 Poor water quality is indicated when :
 - total coliform counts > 0 < 5
 - P/A Bottle Test is present after 48 hours
 - Aeromonas organisms are detected in more than 25% of samples in a single submission or in successive submissions from the same sampling site
 - Pseudomonas Aeruginosa, Staphylococcus Aureus and members of the Fecal Streptococcus group should not be detected in any sample
 - Standard Plate Count should not exceed 500 organisms per ml at 35 °C within 48 hours
2. Interim Maximum Acceptable Concentration (IMAC)
3. Maximum Desirable Concentration (MDC)
4. Aesthetic or Recommended Operational Guideline
 - hardness levels between 80 and 100 mg/L as calcium carbonate are considered to provide an acceptable balance between corrosion and incrustation, water supplies with a hardness >200 mg/L are considered poor and those in excess of 500 mg/L are unacceptable.
- B** **HEALTH & WELFARE CANADA (H&W)**
1. Maximum Acceptable Concentration (MAC)
2. Proposed MAC
3. Interim MAC
4. Aesthetic Objective (AO) (for xylenes, a total)
- C** **WORLD HEALTH ORGANIZATION (WHO)**
1. Guideline Value (GV)
2. Tentative GV
3. Aesthetic GV
- D** **US ENVIRONMENTAL PROTECTION AGENCY (EPA)**
1. Maximum Contaminant Level (MCL)
2. Suggested No-Adverse Effect Level (SNAEL)
3. Lifetime Health Advisory
4. EPA Ambient Water Quality Criteria
5. Maximum Contaminant Level Goal (MCLG)
- F** **EUROPEAN ECONOMIC COMMUNITY (EEC)**
1. Health Related Guideline Level
2. Aesthetic Guideline Level
3. Maximum Admissible Concentration (MADC)
- G** **CALIFORNIA STATE DEPARTMENT OF HEALTH-GUIDELINE VALUE**
- H** **USSR MAXIMUM PERMISSIBLE CONCENTRATION**
- I** **NEW YORK STATE AMBIENT WATER GUIDELINE**
- N/A** **NONE AVAILABLE**

INTERPRETATION OF DATA

The interpretation of analytical results that are obtained from measurements near the limit of detection of the measurement process is subject to greater uncertainty than those at higher concentrations. The principle areas of concern relate to whether the substance has actually been detected, whether it has been properly identified, and whether it is an artifact of the measurement process. In other words, false positives can be caused by the instrumentation or the test procedures used, when in fact these compounds are not present in the sample.

There are several methods to treat data from such measurements:

1. Exclude the low-level data because of this uncertainty factor. Studies of long-term environmental trends and modelling may however, be adversely affected by the exclusion of such data.
2. Qualify these data so the user is aware of the greater uncertainty associated with their use.

For the Drinking Water Surveillance Program, measurements near the limit of detection of the measurement process are reported with the code "<T". Results qualified by "W" indicate a zero measurement. These results are reported for purposes of modelling and long-term trend analysis and no significance should be attributed to a single determination of a substance below "T" (a single determination may well be a false positive). Repeat analysis or additional data are needed before it can be stated with certainty that the substance in question was truly present. On the other hand, it is less likely that repeated detection of a substance at or near the limit of detection at a specific location is solely due to an artifact in the measurement system, and more likely represents a true positive. The average of such data however, is still only an estimate of the amount of substance present subject to the possible biases of the method used.

LABORATORY RESULTS, REMARK DESCRIPTIONS

.	No Sample Taken
BDL	Below Minimum Measurable Amount
<T	Greater Than Detection Limit But Not Confident (SEE INTERPRETATION OF RESULTS ABOVE)
>	Results Are Greater Than The Upper Limit
<=>	Approximate Result
!CS	No Data: Contamination Suspected
!IL	No Data: Sample Incorrectly Labelled
!IS	No Data: Insufficient Sample
!IV	No Data: Inverted Septum
!LA	No Data: Laboratory Accident
!LD	No Data: Test Queued After Sample Discarded

!IS	No Data: Insufficient Sample
!LA	No Data: Laboratory Accident
!LD	No Data: Test Queued After Sample Discarded
!NA	No Data: No Authorization To Perform Reanalysis
!NP	No Data: No Procedure
!NR	No Data: Sample Not Received
!OP	No Data: Obscured Plate
!QU	No Data: Quality Control Unacceptable
!PE	No Data: Procedural Error - Sample Discarded
!PH	No Data: Sample pH Outside Valid Range
!RE	No Data: Received Empty
!RO	No Data: See Attached Report (no numeric results)
!SM	No Data: Sample Missing
!SS	No Data: Send Separate Sample Properly Preserved
!UI	No Data: Indeterminant Interference
!TX	No Data: Time Expired
A3C	Approximate, Total Count Exceeded 300 Colonies
APL	Additional Peak, Large, Not Priority Pollutant
APS	Additional Peak, Less Than, Not Priority Pollutant
CIC	Possible Contamination, Improper Cap
CRO	Calculated Result Only
PPS	Test Performed On Preserved Sample
RMP	P and M-Xylene Not Separated
RRV	Rerun Verification
RVU	Reported Value Unusual
SPS	Several Peaks, Small, Not Priority Pollutant
UCR	Unreliable; Could Not Confirm By Reanalysis
UCS	Unreliable: Contamination Suspected
UIN	Unreliable: Indeterminant Interference
XP	Positive After X Number of Hours

T# (T06) Result Taken After # Hours

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT		PORT DOWER		DOHNS HOLLOW	
SITE		SITE		SITE	
RAW	TREATED	SITE 1	SITE 2	RAW	TREATED
TYPE		STANDING	STANDING	FREE FLOW	FREE FLOW
DEC	1 <=			6 <=	230
TOTAL COLIFORM NF (CT/100ML)					
DET'N LIMIT = 0 GUIDELINE = 5/100ML(A1)					
JAN	180 <=	0 T24		0 T06	0 T24
FEB	210 A3C	0 R48		0 T06	0 T48
MAR	440			0 T48	0 T48
APR	BOL				38 A3C
MAY	BOL				
JUN	48 A3C				
JUL	BOL	0 A3C			
AUG	96 A3C		0 A3C		
SEP	1040 A3C				430 A3C
NOV	BOL				
DEC	190				1500 A3C
T COLIFORM BCKGRD NF (CT/100ML)					
DET'N LIMIT = 0 GUIDELINE = N/A					
JAN	48000 >	0 T24		0 T06	4300 A3C
FEB	2000 A3C	0 R48		1 T06	6100 A3C
MAR	5400			0 T48	44000 A3C
APR	450				BOL
MAY	BOL				
JUN	5600 A3C				
JUL	9600 >				
AUG	9600 >				
T COLIFORM BCKGRD NF (CT/100ML)					
DET'N LIMIT = 0 GUIDELINE = N/A					
JAN	48000 >	0 T24		0 T06	4300 A3C
FEB	2000 A3C	0 R48		1 T06	6100 A3C
MAR	5400			0 T48	44000 A3C
APR	450				BOL
MAY	BOL				
JUN	5600 A3C				
JUL	9600 >				
AUG	9600 >				

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	TYPE	TREATED		SITE 1		SITE 2		DOAMS WALLOW	
		RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	RAW	TREATED
SEP	34000 ASC	0	0	.	.	.	0	33000	.
NOV	1700	0	0	.	.	.	0	94000 ASC	1
DEC	310	0	0	.	.	.	0		2

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT		DOUG'S HOLLOW	
PORT DOVER			
SITE			
RAW	TREATED	SITE 1	SITE 2
TYPE		STANDING	STANDING
		FREE FLOW	FREE FLOW
CHEMISTRY (FLD)			
FLD CHLORINE (CONC) (MG/L)		DET'M LIMIT = N/A	GUIDELINE = N/A
JAN	.200	.	.
FEB	.200	.	.100
MAR	.300	.	.
APR	.300	.	.
MAY	.200	.	.200
JUN	.200	.	.000
JUL	.200	.000	.200
AUG	.800	.	.
SEP	.200	.	.100
OCT	.200	.	.000
NOV	.400	.	.000
DEC	.800	.	.200
FLD CHLORINE FREE (MG/L)			
		DET'M LIMIT = N/A	GUIDELINE = N/A
JAN	.800	.	.100
FEB	.800	.	.100
MAR	.500	.	.100
APR	.700	.	.
MAY	.900	.	.100
JUN	.600	.	.100
JUL	.200	.000	.100
AUG	.400	.	.
SEP	1.100	.	.100

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOVER		DOAMS HOLLOW			
SITE	TYPE	TREATED	SITE 1	SITE 2	RAW
			STANDING	STANDING	TREATED
			FREE FLOW	FREE FLOW	
FLD CHLORINE (TOTAL) (MG/L)					
			DET'M LIMIT = N/A		
			GUIDELINE = N/A		
OCT	-	1.000	-	.100	.100
NOV	-	.600	-	.000	.200
DEC	-	.600	-	.100	.200
FLD CHLORINE (TOTAL) (MG/L)					
			DET'M LIMIT = N/A		
			GUIDELINE = N/A		
JAN	-	1.000	-	.100	.300
FEB	-	1.000	-	.200	.400
MAR	-	.800	-	.100	.200
APR	-	1.000	-	-	-
MAY	-	1.100	-	.300	.300
JUN	.000	.800	-	.100	.300
JUL	-	.400	.000	-	-
AUG	-	.400	-	-	-
SEP	-	1.300	-	.200	.200
OCT	-	1.200	-	.100	.100
NOV	-	1.000	-	.000	.200
DEC	-	.200	-	.100	.200
FLD PH (DIMENSIONLESS)					
			DET'M LIMIT = N/A		
			GUIDELINE = 6.5-8.5(AK)		
JAN	7.700	7.700	-	7.700	7.700
FEB	7.900	7.700	-	7.700	7.500
MAR	7.900	7.600	-	7.700	7.500
APR	8.100	7.900	-	-	7.800
MAY	8.100	7.900	-	7.700	-

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	RAW TYPE	TREATED	DOVER HOLLOW			
			SITE 1	SITE 2	RAW	TREATED
			STANDING	STANDING	FREE FLOW	
JUN	8.100	7.700		7.800	7.800	
JUL	8.100	7.900	7.800			7.700
AUG	8.000	7.700				7.700
SEP	8.100	7.900		7.900	7.700	
OCT	7.900	7.900		7.900	7.800	7.500
NOV	7.900	7.800		7.900	7.900	7.900
DEC	7.900	7.700		7.900	7.800	7.500
FLD TEMPERATURE (DEG.C)						
			DET'M LIMIT = N/A	GUIDELINE = 15 (A1)		
JAN	1.500	1.700		10.000	6.500	6.500
FEB	2.000	3.000		9.000	6.800	7.000
MAR	6.000	5.500		9.000	4.800	9.000
APR	7.500	9.000				9.100
MAY	11.500	11.000		13.200	10.200	
JUN	17.000	18.000		20.000	15.000	
JUL	21.500	22.000	23.000			13.000
AUG	21.000	21.000				13.000
SEP	16.000	18.800		19.000	19.000	
OCT	9.800	10.000		16.600	15.000	9.900
NOV	4.900	6.000		13.000	11.200	8.000
DEC	2.000	2.200		11.000	8.500	5.000
FLD TURBIDITY (FTU)						
			DET'M LIMIT = N/A	GUIDELINE = 1.0 (A1)		
JAN	41.000	.030		.580	.310	.720

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE TYPE	RAW	TREATED	DOCKS HOLLOW			
			SITE 1	SITE 2	RAW	TREATED
			STANDING	STANDING	FREE FLOW	FREE FLOW
FEB	3.800	.080	.	.420	.490	.850
MAR	7.800	.020	.	.440	.400	.950
APR	2.200	.050	.	.	.	.
MAY	6.100	.020	.	.270	.200	.
JUN	5.900	.210	.	.320	.310	.
JUL	2.500	.120	.320	.	.	1.000
AUG	5.000	.100	.	.	1.120	.900
SEP	24.000	.250	.	.200	1.000	.900
OCT	20.000	.150	.	.250	.450	.450
NOV	25.000	.100	.	.	1.000	1.000
DEC	14.500	.070	.	.300	4.000	3.500

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE		DOAMS HOLLOW					
RAW TYPE	TREATED	SITE 1		SITE 2		RAW	TREATED
		STANDING	FREE FLOW	STANDING	FREE FLOW		
CHEMISTRY (LAB)							
ALKALINITY (MG/L)		GUIDELINE = 30-500 (A4)					
JAN	106.400	103.700	-	159.700	140.300	200.100	200.700
FEB	108.800	113.500	-	157.000	150.200	200.300	201.400
MAR	108.400	101.100	-	127.800	148.100	186.400	186.800
APR	107.400	104.000	-	-	-	150.700	195.100
MAY	102.500	97.500	-	98.400	98.600	-	-
JUN	104.700	101.300	-	107.600	102.200	-	-
JUL	106.400	102.900	117.800	112.400	-	228.500	230.200
AUG	103.400	101.000	-	-	-	200.800	201.300
SEP	100.200	94.200	-	94.700	94.000	-	-
OCT	105.600	102.300	-	145.200	147.000	196.000	196.300
NOV	102.000	98.700	-	167.800	175.100	199.800	200.900
DEC	112.500	103.700	-	141.000	138.500	182.600	191.800
CALCIUM (MG/L)		GUIDELINE = 100 (F2)					
DET'N LIMIT = .100							
JAN	37.400	40.000	-	61.200	53.200	77.000	76.200
FEB	40.400	40.600	-	58.800	56.600	76.200	77.400
MAR	42.400	41.000	-	51.400	58.800	74.400	75.200
APR	39.800	39.800	-	-	-	76.200	73.600
MAY	37.200	36.000	-	37.200	38.000	-	-
JUN	36.800	36.600	-	39.200	37.600	-	-
JUL	39.200	40.600	45.400	42.800	-	76.000	79.400
AUG	37.800	38.800	-	-	-	77.000	74.000
SEP	37.800	37.600	-	-	37.800	-	-

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER		DOAMS HOLLOW					
SITE		TREATED	SITE 1		SITE 2		
TYPE	RAW		STANDING	FREE FLOW	STANDING	FREE FLOW	TREATED
CYANIDE (MG/L)							
OCT	43.500	44.200	.	.	61.800	62.900	81.900
NOV	38.400	39.400	.	.	68.600	72.000	80.000
DEC	42.500	42.800	.	.	55.400	53.400	75.700
DET'N LIMIT = 0.001 GUIDELINE = .200 (A1)							
JAN	BOL	BOL	.	.	.	BOL	BOL
FEB	BOL	BOL	.	.	.	BOL	BOL
MAR	BOL	BOL	.	.	.	BOL	BOL
APR	BOL	BOL	.	.	.	.	BOL
MAY	BOL	BOL	.	.	.	BOL	.
JUN	BOL	BOL	.	.	.	BOL	.
JUL	BOL	BOL	.	BOL	.	.	BOL
AUG	BOL	BOL	.	.	.	.	BOL
SEP	BOL	BOL	.	.	.	BOL	.
OCT	BOL	BOL	.	.	.	BOL	BOL
NOV	BOL	BOL	.	.	.	BOL	BOL
DEC	BOL	BOL	.	.	.	BOL	.004 <T
CHLORIDE (MG/L)							
JAN	14.400	18.500	.	.	12.500	14.400	6.800
FEB	19.600	16.600	.	.	13.900	14.700	6.300
MAR	16.000	19.000	.	.	16.600	14.300	9.400
APR	14.300	17.200	.	.	.	.	7.300
MAY	10.800	17.200	.	.	17.400	17.500	.
DET'N LIMIT = .200 GUIDELINE = 250 (A3)							

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE		SITE 1		SITE 2		DOAMS HOLLOW	
TYPE	RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	TREATED
JUN	17,700	18,400	17,500	18,300	17,600	24,200	8,300
JUL	15,000	18,200					8,200
AUG	15,100	18,800					
SEP	14,600	18,300			19,000	18,500	
OCT	14,600	18,000			14,600	14,000	9,100
NOV	14,000	17,800			12,600	11,900	8,500
DEC	16,800	23,000			15,400	15,200	8,300
COLOUR (NZU)							
DET'N LIMIT = .5 GUIDELINE = 5.0 (A3)							
JAN	BDL	BDL			2,500	1,500 <T	2,500
FEB	.500 <T	1SH			2,000 <T	2,500	3,500
MAR	3,000	1,000 <T			2,000 <T	2,500	4,000
APR	2,000 <T	.500 <T					4,000
MAY	2,500	1,000 <T			2,000 <T	2,000 <T	
JUN	2,500	1,000 <T			1,500 <T	2,500	
JUL	1,500 <T	1,500 <T	1,500 <T	1,500 <T			2,000 <T
AUG	2,000 <T	.500 <T					3,000
SEP	2,000 <T	1,500 <T			1,000 <T	1,500 <T	
OCT	2,000 <T	1,000 <T			2,500	3,000	4,000
NOV	.500 <T	.500			1SH	1SH	3,500
DEC	1,500 <T	.500 <T			2,000 <T	2,000 <T	4,500

CONDUCTIVITY (UMHO/CM)

188	292	307	.	429	385	506	512
-----	-----	-----	---	-----	-----	-----	-----

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT		PORT DOVER		DOCKS MOLLOW	
SITE		SITE 1		SITE 2	
TYPE		STANDING		STANDING	
		FREE FLOW		FREE FLOW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		T	

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE		DOAMS HOLLOW					
TYPE	RAW	SITE 1		SITE 2		RAW	TREATED
		STANDING	FREE FLOW	STANDING	FREE FLOW		
HARDNESS (MG/L)							
		DET'N LIMIT = .500		GUIDELINE = 80-100 (A4)			
JAN	129.000						
FEB	140.000			214.000	184.000	268.000	268.000
MAR	144.000			204.000	197.000	266.000	270.000
APR	134.000			176.000	202.000	255.000	258.000
MAY	128.000					264.000	258.000
JUN	126.000			128.000	130.000		
JUL	133.000			135.000	129.000		
AUG	129.000	156.000	146.000			266.000	275.000
SEP	131.000					269.000	259.000
OCT	142.000			130.000	130.000		
NOV	133.000			208.000	210.800	280.300	282.300
DEC	144.700			238.000	248.000	277.000	277.000
				189.800	184.800	262.300	268.000
LANGELIER'S INDEX (UNLESS)							
		DET'N LIMIT = N/A		GUIDELINE = N/A			
JAN	.284					1.016	.952
FEB	.459			.746	.623	1.082	1.101
MAR	.369			.861	.797	.971	.946
APR	.617			.619	.737	.905	1.015
MAY	.346						
JUN	.470			.266	.277		
JUL	.603			.442	.395		
AUG	.516	.723	.649			1.119	1.140
SEP	.432					.988	.981
OCT	.445			.377	.364		
				.732	.795	1.084	1.086

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER		SITE 1		SITE 2		DOVER ROLL	
SITE	TYPE	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	TREATED
NOV	RAW	.383	.	.	.804	.722	1.081
DEC	RAW	.503	.	.	.822	.779	1.011
MAGNESIUM (MG/L)		DET'N LIMIT = .050		GUIDELINE = 30 (F2)			
JAN	8.700	8.900	.	.	15.000	12.400	18.500
FEB	9.500	9.400	.	.	13.900	13.400	18.400
MAR	9.300	9.100	.	.	11.500	13.500	16.700
APR	8.600	8.700	.	.	.	.	17.900
MAY	8.600	8.600	.	.	8.500	8.500	.
JUN	8.400	8.500	.	.	8.900	8.500	.
JUL	8.600	8.800	10.200	9.600	.	.	18.400
AUG	8.400	8.800	.	.	8.700	8.500	18.100
SEP	8.800	8.600	.	.	13.050	13.000	18.700
OCT	8.100	8.300	.	.	16.100	16.600	18.900
NOV	8.900	9.000	.	.	12.500	12.500	18.400
DEC	9.400	9.250	.	.	.	.	17.850
SODIUM (MG/L)		DET'N LIMIT = .200		GUIDELINE = 200 (C3)			
JAN	8.000*	8.000	.	.	6.200	7.000	3.800
FEB	9.800	9.600	.	.	7.200	7.600	4.400
MAR	8.800	9.200	.	.	8.200	7.200	5.000
APR	8.400	8.200	.	.	.	.	4.000
MAY	8.000	8.000	.	.	8.600	8.400	.
JUN	8.400	8.400	.	.	8.800	8.400	.

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	DOAMS HOLLOW			
	RAW	TREATED	SITE 1	SITE 2
TYPE	STANDING		STANDING	
	RAW	TREATED	FREE FLOW	FREE FLOW
AMMONIUM TOTAL (MG/L)				
JUL	8.200	8.800	9.000	8.800
AUG	8.600	8.800	.	.
SEP	8.600	9.000	.	.
OCT	8.000	7.900	.	8.400
NOV	7.400	7.800	.	6.600
DEC	7.300	6.200	.	6.200
				5.300
				1.700
				2.900
GUIDELINE = .05 (F2)				
JAN	.028	.034	.	.040
FEB	.008 <T	.002 <T	.	.008 <T
MAR	.020	BDL	.	BDL
APR	.024	.004 <T	.	.002 <T
MAY	.056	BDL	.	.006 <T
JUN	BDL	.002 <T	.	BDL
JUL	.046	.012	.084	.070
AUG	.014	BDL	.	.
SEP	.004 <T	BDL	.	.012
OCT	.014	.002 <T	.	BDL
NOV	.012	BDL	.	.002 <T
DEC	BDL	BDL	.	.006 <T
				BDL
GUIDELINE = 1.000 (A1)				
NITRITE (MG/L)				
JAN	.005	.003 <T	.	.003 <T
FEB	BDL	.003 <T	.	.001 <T
				.011
				.010
				.003 <T
				BDL

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE TYPE	RAW	TREATED	DOAMS HOLLOW			
			SITE 1	SITE 2	FREE FLOW	TREATED
			STANDING	STANDING	FREE FLOW	RAW
MAR	.007	.004 <T	.	.006	.005	.014
APR	.004 <T	.003 <T	.	.	.	.013
MAY	.003 <T	BOL	.	.002 <T	BOL	.
JUN	.041	.003 <T	.	.003 <T	.005	.
JUL	.004 <T	.005	.003 <T	.	.	.009
AUG	.004 <T	.001 <T	.	.	.	.014
SEP	.002 <T	.001 <T	.	.001 <T	BOL	.
OCT	.003 <T	.001 <T	.	.002 <T	.001 <T	.012
NOV	.002 <T	.001 <T	.	BOL	.003 <T	.010
DEC	.004 <T	.003 <T	.	.003 <T	.001 <T	.024
TOTAL NITRATES (MG/L)						
			DET'M LIMIT = .020	GUIDELINE = 10.000 (A1)		
JAN	.140	.170	.	1.050	.715	1.680
FEB	.245	.250	.	1.060	.940	1.760
MAR	.400	.360	.	.760	1.070	1.640
APR	.160	.160	.	.	.	1.660
MAY	.105	.100	.	.120	.095	.
JUN	.100	.085	.	.250	.105	.
JUL	.040	.095	.355	.	.	1.390
AUG	.050	.070	.	.	.	1.520
SEP	.175	.120	.	.175	.120	.
OCT	.220	.245	.	.815	.870	1.700
NOV	.140	.155	.	1.300 UAL	1.450 UAL	1.750
DEC	.430	.245	.	.835	.800	1.850

TABLE 5
DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOVER SITE		DOAMS HOLLOW						
TYPE	RAW	TREATED	SITE 1		SITE 2		RAW	TREATED
			STANDING	FREE FLOW	STANDING	FREE FLOW		
NITROGEN TOT KJELD (MG/L)								
			DET'N LIMIT = .020				GUIDELINE = N/A	
JAN	.825	.150	-	-	.260	.130	.120	.100
FEB	.140	.230	-	-	.160	.120	.050 <T	.050 <T
MAR	.280	.230	-	-	.230	.160	.210	.180
APR	.310	.210	-	-	-	-	.140	.100
MAY	.250	.190	-	-	.270	.190	-	-
JUN	.320	.180	-	-	.320	.200	-	-
JUL	.320	.210	.350	.190	-	-	.140	.110
AUG	.300	.200	-	-	-	-	.120	.100
SEP	.340	.180	-	-	.320	.200	-	-
OCT	.260	.160	-	-	.190	.150	.130	.090 <T
NOV	.210	.170	-	-	.230	.090 <T	.120	.090 <T
DEC	.290	.130	-	-	.240	.090 <T	.150	.150
PH (DIMENSIONLESS)								
			DET'N LIMIT = N/A				GUIDELINE = 6.5-8.5(A4)	
JAN	8.120	8.090	-	-	8.210	8.200	8.290	8.230
FEB	8.260	8.360	-	-	8.350	8.320	8.360	8.370
MAR	8.150	8.190	-	-	8.250	8.250	8.290	8.260
APR	8.430	8.360	-	-	-	-	8.300	8.320
MAY	8.200	8.160	-	-	8.140	8.140	-	-
JUN	8.320	8.260	-	-	8.260	8.250	-	-
JUL	8.420	8.320	8.440	8.410	-	-	8.340	8.340
AUG	8.360	8.190	-	-	-	-	8.260	8.270
SEP	8.290	8.280	-	-	8.260	8.250	-	-
OCT	8.220	8.310	-	-	8.230	8.280	8.340	8.260

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE TYPE	RAW	TREATED	DOAMS HOLLOW			
			SITE 1	SITE 2	FREE FLOW	TREATED
			STANDING	STANDING		
NOV	8.220	8.230	.	8.200	8.080	8.320
DEC	8.320	8.300	.	8.380	8.360	8.350
PHOSPHORUS FIL REACT (MG/L)						
			DET'M LIMIT = .0005			
			GUIDELINE = N/A			
JAN	.003	.000 <T	.	.	.	.001 <T
FEB	.000 <T	.001 <T	.	.	.	.001 <T
MAR	BDL	BDL	.	.	.	.002 <T
APR	.000 <T	BDL	.	.	.	BDL
MAY	BDL	BDL	.	.	.	.
JUN	.001 <T	BDL	.	.	.	.
JUL	.000 <T	BDL	.	.	.	.002 <T
AUG	.000 <T	BDL	.	.	.	.000 <T
SEP	.000 <T	BDL	.	.	.	.000 <T
OCT	.002	.001	.	.	.	.001
NOV	BDL	BDL	.	.	.	.001 <T
DEC	.000 <T	BDL	.	.	.	.000 <T
PHOSPHORUS TOTAL (MG/L)						
			DET'M LIMIT = .002			
			GUIDELINE = .40 (F2)			
JAN	.358	.004	.	.	.	.005 <T
FEB	.003 <T	.014	.	.	.	.002 <T
MAR	.013	.002 <T	.	.	.	.009 <T
APR	.040	.003 <T	.	.	.	.003 <T
MAY	.020	.002 <T	.	.	.	.
JUN	.019	.002 <T	.	.	.	.

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT		DOAMS HOLLOW					
PORT DOVER		SITE 1		SITE 2			
SITE	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	RAW	TREATED
TYPE							
JUL	.016	.002 <T	-	-	-	-	.004 <T
AUG	.013	.003 <T	-	-	-	-	.005 <T
SEP	.041	.005 <T	-	-	-	-	.004 <T
OCT	.030	.002 <T	-	-	-	-	.005 <T
NOV	.009 <T	.007 <T	-	-	-	-	.010
DEC	.050	.002 <T	-	-	-	-	.004 <T
SULPHATE (MG/L)							
JAN	23.020	DET'M LIMIT = .200		GUIDELINE = 500. (A3)		.018	
FEB	21.360	-	-	47.010	39.100	65.340	65.230
MAR	22.850	-	-	42.970	40.010	62.870	63.740
APR	23.140	-	-	33.910	42.850	60.730	57.210
MAY	24.010	-	-	-	-	62.570	62.670
JUN	23.090	-	-	24.470	24.000	-	-
JUL	23.120	27.710	25.280	25.190	23.130	-	-
AUG	24.440	-	-	-	-	62.010	61.750
SEP	24.050	-	-	23.720	23.500	63.920	63.880
OCT	23.460	-	-	41.700	43.620	65.050	64.490
NOV	22.770	-	-	54.640	57.780	67.710	67.480
DEC	27.080	-	-	39.200	39.130	64.340	65.610
TURBIDITY (FTU)							
JAN	90.000	DET'M LIMIT = .02		GUIDELINE = 1.00 (A1)		.850	
FEB	.250	-	-	.840	.550	.670	.740
		-	-	.530	.590	1.190	

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	RAW TYPE	TREATED	DOVER HOLLOW			
			SITE 1	SITE 2	FREE FLOW	TREATED
			STANDING	STANDING	FREE FLOW	RAW
MAR	2.800	.390	.	.440	.500	1.180
APR	10.200	.850	.	.	.	1.030
MAY	.130	.190	.	.290	.250	.
JUN	2.800	.180	.	.440	.500	.
JUL	4.700	.490	.530	.	.	2.100
AUG	1.200	.330	.	.	.	.780
SEP	19.300	.490	.	.540	.480	.
OCT	12.600	.240 <T	.	.420	.310	.430
NOV	3.600	.310	.	.620	.390	.610
DEC	16.500	.250	.	.840	.450	3.900
						.500
						.880
						.
						.
						.970
						.920
						.
						1.190
						.970
						3.700

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOVER		TREATED		SITE 1		SITE 2		DOCKERS HOLLOW	
TYPE		RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	RAW	TREATED
METALS									
SILVER (UG/L)		DET'M LIMIT = .020		GUIDELINE = 50. (A1)					
JAN	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
FEB	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
MAR	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
APR	.040 <T	MDL	.080 <T	MDL	MDL	MDL	MDL	MDL	MDL
MAY	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
JUN	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
JUL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
AUG	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
SEP	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
OCT	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
NOV	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
DEC	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
ALUMINUM (UG/L)		DET'M LIMIT = .050		GUIDELINE = 100. (A4)					
JAN	4200.000	47.000	47.000	30.000	26.000	30.000	26.000	12.000	8.700
FEB	40.000	34.000	34.000	24.000	26.000	24.000	26.000	9.900	11.000
MAR	45.000	58.000	58.000	33.000	33.000	33.000	33.000	21.000	20.000
APR	62.000	100.000	100.000	180.000	180.000	180.000	180.000	14.000	15.000
MAY	37.000	180.000	180.000	180.000	180.000	180.000	180.000	12.000	12.000
JUN	150.000	290.000	290.000	180.000	180.000	180.000	180.000	10.000	10.000
JUL	110.000	250.000	250.000	170.000	170.000	170.000	170.000	12.000	12.000
AUG	48.000	190.000	190.000	170.000	170.000	170.000	170.000	10.000	10.000
SEP	170.000	190.000	190.000	170.000	170.000	170.000	170.000	12.000	12.000

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOVER		DOAMS HOLLOW									
SITE	RAW	SITE 1		SITE 2		RAW		TREATED			
TYPE	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	STANDING	FREE FLOW	STANDING	FREE FLOW	STANDING	FREE FLOW
ARSENIC (UG/L)											
DET'N LIMIT = 0.050 GUIDELINE = 50.0 (A1)											
OCT	130,000	-	-	58,000	51,000	7,900	8,100	8,100			
NOV	41,000	-	-	39,000	32,000	11,000	11,000	11,000			
DEC	130,000	-	-	15M	35,000	42,000	3,000	3,000			
DET'N LIMIT = 0.050 GUIDELINE = 50.0 (A1)											
JAN	2,700	-	-	.230 <T	.220 <T	.520 <T	.510 <T	.510 <T			
FEB	.600 <T	-	-	.760 <T	.820 <T	1,000 <T	.930 <T	.930 <T			
MAR	1,100	-	-	.880 <T	.790 <T	.800 <T	.850 <T	.850 <T			
APR	1,300	-	-	-	-	.560 <T	.750 <T	.750 <T			
MAY	1,400	-	-	.560 <T	.640 <T	-	-	-			
JUN	1,300	-	-	1,100	.880 <T	-	-	-			
JUL	1,200	.770 <T	.890 <T	-	-	.990 <T	.970 <T	.970 <T			
AUG	1,200	.960 <T	-	-	-	1,200	1,100	1,100			
SEP	1,200	.510 <T	-	.420 <T	.450 <T	-	-	-			
OCT	.660 <T	.270 <T	-	.260 <T	.410 <T	.530 <T	.470 <T	.470 <T			
NOV	.550 <T	.150 <T	-	.240 <T	.490 <T	.510 <T	.470 <T	.470 <T			
DEC	.860 <T	.210 <T	-	15M	.340 <T	.810 <T	.190 <T	.190 <T			
DET'N LIMIT = 0.020 GUIDELINE = 1000. (A1)											
BARITUM (UG/L)											
JAN	34,000	-	-	52,000	47,000	85,000	91,000	91,000			
FEB	23,000	-	-	48,000	51,000	86,000	89,000	89,000			
MAR	25,000	-	-	42,000	52,000	75,000	75,000	75,000			
APR	24,000	-	-	-	-	81,000	81,000	81,000			
MAY	23,000	-	-	27,000	26,000	-	-	-			

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	RAW	TREATED	DOAMS HOLLOW			
			SITE 1	SITE 2	RAW	TREATED
TYPE			STANDING	STANDING	FREE FLOW	FREE FLOW
JUN	24,000	24,000		36,000	30,000	
JUL	25,000	25,000	45,000			100,000
AUG	24,000	23,000				92,000
SEP	24,000	23,000		30,000	28,000	
OCT	26,000	24,000		55,000	53,000	89,000
NOV	23,000	22,000		60,000	59,000	82,000
DEC	27,000	24,000		15M	48,000	14,000
BORON (UG/L)						
			GUIDELINE = 5000. (A1)			
JAN	110,000	89,000		20,000 <T	64,000	7,900 <T
FEB	64,000	41,000		42,000	78,000	52,000
MAR	200,000	54,000		240,000	320,000	270,000
APR	190,000	130,000				96,000
MAY	29,000	40,000		26,000	41,000	
JUN	35,000	36,000		51,000	38,000	
JUL	41,000	46,000	41,000			46,000
AUG	54,000	52,000				66,000
SEP	46,000	32,000		44,000	38,000	
OCT	27,000	23,000		24,000	22,000	15,000 <T
NOV	22,000	22,000		17,000 <T	15,000 <T	12,000 <T
DEC	27,000	24,000		15M	20,000 <T	8,400 <T
BERYLLIUM (UG/L)						
			GUIDELINE = N/A			
JAN	.140 <T					

BOL

BOL

BOL

BOL

.

.

BOL

.140 <T

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT		PORT DOVER		DOVER HOLLOW	
SITE		SITE 1		SITE 2	
TYPE		STANDING		STANDING	
		FREE FLOW		FREE FLOW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		TREATED	
		RAW		RAW	
		TREATED		T	

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT		DOARS HOLLOW			
PORT DOVER		SITE 1		SITE 2	
SITE		STANDING		STANDING	
TYPE		TREATED	FREE FLOW	RAW	TREATED
		GUIDELINE = 0.020			
		DET'N LIMIT = N/A			
COBALT (UG/L)					
JAN	1,000 <T	.130 <T	.	.120 <T	.080 <T
FEB	.030 <T	.070 <T	.	BOL	BOL
MAR	.110 <T	.090 <T	.	.100 <T	.030 <T
APR	.220 <T	.070 <T	.	.	.070 <T
MAY	.260 <T	.320 <T	.	.230 <T	.210 <T
JUN	.830 <T	.700 <T	.	.690 <T	.640 <T
JUL	.140 <T	.080 <T	.100 <T	.	BOL
AUG	.160 <T	.120 <T	.	BOL	BOL
SEP	.200 <T	.030 <T	.	BOL	.
OCT	.250 <T	.130 <T	.	.190 <T	.190 <T
NOV	.160 <T	.110 <T	.	.120 <T	.090 <T
DEC	.160 <T	.070 <T	.	ISM	.140 <T
		DET'N LIMIT = 0.100			
		GUIDELINE = 50. (AT)			
CHROMIUM (UG/L)					
JAN	8,700	5,900	.	.290 <T	BOL
FEB	6,600	2,900	.	3,600	5,500
MAR	5,300	.460 <T	.	6,900	8,300
APR	6,800	4,400	.	.	3,600
MAY	2,700	8,600	.	1,500	.
JUN	5,000	4,900	.	5,200	8,300
JUL	4,600	5,300	5,600	.	5,000
AUG	5,200	4,700	.	.	.
SEP	5,300	2,300	.	4,700	8,900
OCT	3,200	.970 <T	.	3,100	8,600
			.		1,800
			.		4,500

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	TREATED RAW	SITE 1 STANDING	FREE FLOW	SITE 2 STANDING	FREE FLOW	DOAMS HOLLOW	
						RAW	TREATED
TYPE							
NOV	.120 <T	.140 <T	.	.400 <T	.250 <T	BOL	BOL
DEC	.590 <T	BOL	.	ISM	BOL	BOL	BOL
COPPER (UG/L)							
DET'N LIMIT = .100							
GUIDELINE = 1000 (A3)							
JAN	4.900	1.100	.	15.000	2.200	.470 <T	17.000
FEB	1.100	1.300	.	2.300	11.000	.950 <T	16.000
MAR	1.400	1.100	.	17.000	2.400	.940 <T	59.000
APR	1.700	1.100	.	.	.	.550 <T	47.000
MAY	1.500	1.100	.	11.000	2.300	.	.
JUN	1.800	1.300	.	19.000	2.800	.	.
JUL	1.600	1.500	18.000	.	.	.490 <T	77.000
AUG	1.300	1.100	.	.	.	.540 <T	57.000
SEP	1.600	1.600	.	15.000	2.400	.	.
OCT	1.400	.900 <T	.	17.000	2.900	1.100	52.000
NOV	1.060 <T	.780 <T	.	19.000	2.700	.430 <T	46.000
DEC	1.400 <T	.680 <T	.	ISM	14.000	BOL	3.200 <T
IRON (UG/L)							
DET'N LIMIT = 4.000							
GUIDELINE = 300. (A3)							
JAN	1500.000	19.000 <T	.	220.000	85.000	96.000	100.000
FEB	BOL	74.000	.	75.000	76.000	72.000	75.000
MAR	57.000	BOL	.	51.000	61.000	84.000	82.000
APR	180.000	BOL	.	.	.	78.000	79.000
MAY	50.000 <T	BOL	.	53.000	57.000	.	.
JUN	160.000	13.000 <T	.	61.000	77.000	.	.

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOVER SITE	RAM TYPE	TREATED	DOVER HOLLOW			
			SITE 1	SITE 2	FREE FLOW	TREATED
			STANDING	STANDING	FREE FLOW	
JUL	98,000	BOL	36,000 <T	56,000		88,000
AUG	47,000 <T	BOL				80,000
SEP	260,000	45,000 <T		25,000 <T	34,000 <T	
OCT	240,000	BOL		51,000	66,000	87,000
NOV	50,000 <T	BOL		47,000 <T	52,000	69,000
DEC	290,000	BOL		15M	72,000	BOL
MERCURY (UG/L)						
			DET'M LIMIT = 0.010	GUIDELINE = 1,000 (A1)		
JAN	15M	BOL			BOL	BOL
FEB	.030 <T	.060			.060	BOL
MAR	BOL	BOL			BOL	BOL
APR	BOL	BOL				BOL
MAY	BOL	BOL			BOL	
JUN	BOL	BOL			BOL	
JUL	BOL	BOL				BOL
AUG	.060	BOL				BOL
SEP	BOL	BOL			BOL	BOL
OCT	BOL	BOL			BOL	
NOV	BOL	BOL			BOL	.020 <T
DEC	.020 <T	.020 <T			.020 <T	BOL
MANGANESE (UG/L)						
			DET'M LIMIT = .050	GUIDELINE = 50.0 (A3)		
JAN	190,000	.650		5,300	6,900	20,000
FEB	.160 <T	7,400		9,400	7,200	23,000

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE TYPE	RAM	TREATED	DOVER HOLLOW			
			SITE 1	SITE 2	FREE FLOW	TREATED
			STANDING	STANDING		RAM
			FREE FLOW			
MAR	5.700	BOL	-	4.700	7.800	27.000
APR	21.000	.540	-	-	-	24.000
MAY	5.400	.230 <T	-	5.200	6.500	-
JUN	17.000	.560	-	9.500	9.400	-
JUL	9.400	.630	6.700	-	-	28.000
AUG	6.300	.490 <T	-	-	-	23.000
SEP	21.000	1.600	-	4.400	4.700	-
OCT	14.000	.230 <T	-	3.500	6.500	26.000
NOV	3.100	.180 <T	-	2.300	4.100	21.000
DEC	26.000	2.800	-	1.9M	3.100	33.000
						.120 <T
POLYBENZIN (UG/L)						
			DET'N LIMIT = 0.020		GUIDELINE = N/A	
JAN	.530	1.200	-	.700	.840	.520
FEB	1.400	1.300	-	1.200	1.000	.650
MAR	1.500	1.500	-	1.300	1.100	.780
APR	1.200	1.300	-	-	-	.600
MAY	1.500	1.600	-	1.500	1.500	-
JUN	1.400	1.700	-	1.600	1.600	-
JUL	1.400	1.500	1.400	-	-	.820
AUG	1.300	1.400	-	-	-	.750
SEP	.840	1.300	-	1.200	1.300	-
OCT	.990	1.100	-	.780	.820	.450 <T
NOV	1.000	1.100	-	.640	.640	.490 <T
DEC	1.100	1.200	-	1.9M	.920	.390 <T
						.620

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOWER SUPPLY 1989

PLANT		DOHHS HOLLOW			
PORT DOWER					
SITE	TREATED	SITE 1	SITE 2	RAW	TREATED
TYPE		STANDING	STANDING		
		FREE FLOW	FREE FLOW	FREE FLOW	
NOV	.090 <T	BOL	1.600	.120 <T	.080 <T
DEC	.440 <T	.080 <T	1SH	1.300	.290 <T
ANTHONY (UG/L)		GUIDELINE = 146. (D4)			
JAN	.350	.510	.520	.440	.340
FEB	.740	.650	.550	.680	.460
MAR	.680	.790	.790	.760	.740
APR	.560	.540	1.000	.960	.360
MAY	.930	.900	.780	.870	.500
JUN	.800	.770	.760	.570	.560
JUL	.830	.740	.610	.350	.260
AUG	.670	.690	.390	.320	.310
SEP	.460	.410	.480	.480 <T	1.300
OCT	.430	.550	1SH		
NOV	.440	.520			
DEC	.370 <T				
SELENIUM (UG/L)		GUIDELINE = 10. (A1)			
JAN	1.100 <T	2.100 <T	1.800 <T	2.500 <T	BOL
FEB	4.300 <T	3.800 <T	4.200 <T	3.200 <T	2.700 <T
MAR	2.200 <T	4.500 <T	6.300 <T	3.400 <T	3.000 <T
APR	1.700 <T	2.300 <T	5.600 <T	6.200 <T	BOL
MAY	BOL	6.200 <T	7.000	6.400	.
JUN	1.500 <T	5.900			.

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE		DOARS HOLLOW		SITE 1		SITE 2		TREATED	
TYPE	RAW	RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	RAW	TREATED
STROMTILUM (UG/L)									
JUL	2,400 <T		4,500 <T	3,200 <T	4,400 <T			3,200 <T	2,400 <T
AUG	BOL		2,300 <T					BOL	BOL
SEP	BOL		1,100 <T			1,800 <T	2,000 <T		
OCT	BOL		1,500 <T			1,300 <T			
NOV	BOL		BOL			BOL	BOL		BOL
DEC	BOL		BOL			ISM	1,400 <T		1,100 <T
TITANIUM (UG/L)									
DET'N LIMIT = .050									
GUIDELINE = N/A									
JAN	200,000		160,000			170,000	160,000	180,000	180,000
FEB	180,000		170,000			170,000	170,000	170,000	170,000
MAR	160,000		150,000			160,000	180,000	200,000	200,000
APR	170,000		160,000					180,000	170,000
MAY	160,000		160,000						
JUN	170,000		180,000			170,000	170,000		
JUL	170,000		170,000	150,000	160,000	180,000	170,000		
AUG	160,000		170,000					170,000	160,000
SEP	160,000		150,000					160,000	160,000
OCT	170,000		160,000			150,000	150,000		
NOV	160,000		150,000			170,000	170,000	180,000	180,000
DEC	180,000		180,000			180,000	170,000	170,000	170,000
TITANIUM (UG/L)									
DET'N LIMIT = .050									
GUIDELINE = N/A									
JAN	20,000		2,700			6,900	5,300	11,000	9,200
FEB	2,400		4,300			4,700	5,400	7,800	8,300

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT		SITE 1		SITE 2		DOVER HOLLOW	
PORT DOVER	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	RAW	TREATED
SITE							
TYPE							
MAR	7.200	5.000	.	7.400	9.300	15.000	15.000
APR	6.700	3.900	.	.	.	11.000	11.000
MAY	3.400	1.400 <T	.	2.400	2.000 <T	.	.
JUN	7.800	4.100	.	6.200	4.600	.	.
JUL	7.800	3.100	4.300	.	.	8.800	9.100
AUG	6.400	4.100	.	.	.	15.000	15.000
SEP	8.000	3.100	.	3.600	3.400	.	.
OCT	7.200	2.100	.	8.100	8.100	16.000	15.000
NOV	3.300	2.100	.	6.800	6.400	8.400	8.300
DEC	7.900	2.100 <T	.	15M	5.500	13.000	6.800
TINALLIUM (UG/L)							
		DET'N LIMIT = .010		GUIDELINE = 13. (D4)			
JAN	.060 <T	BOL	.	BOL	BOL	BOL	.030 <T
FEB	BOL	BOL	.	BOL	BOL	BOL	BOL
MAR	BOL	BOL	.	BOL	BOL	BOL	.050 <T
APR	.020 <T	BOL	.	BOL	BOL	BOL	.050 <T
MAY	BOL	BOL	.	.060 <T	.	.020 <T	.050 <T
JUN	BOL	BOL	.	BOL	.020 <T	.	.
JUL	.040 <T	.060 <T	.040 <T	BOL	BOL	.	.090 <T
AUG	.050 <T	.070 <T	.	.	.	BOL	BOL
SEP	BOL	BOL	.	BOL	BOL	BOL	BOL
OCT	BOL	BOL	.	BOL	BOL	.040 <T	BOL
NOV	BOL	BOL	.	BOL	BOL	.040 <T	BOL
DEC	BOL	BOL	.	15M	BOL	BOL	BOL

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	DOUGS HOLLOW							
	RAW TYPE	TREATED	SITE 1		SITE 2		TREATED	
			STANDING	FREE FLOW	STANDING	FREE FLOW		
URANIUM (UG/L)								
DET'N LIMIT = .020								
GUIDELINE = 100.(81)								
JAN	1.100	.080 <T	.	.	.520	.360	.790	.840
FEB	.240	.500	.	.	.460	.550	.940	.930
MAR	.550	.320	.	.	.490	.640	.760	.840
APR	.460	.270	.	.	.	.	.760	.830
MAY	.580	.360	.	.	.480	.450	.	.
JUN	.500	.400	.	.	.390	.450	.	.
JUL	.520	.420	.430	.	.	.	.900	.990
AUG	.460	.250	.	.	.	.	.840	.840
SEP	.300	.160 <T	.	.	.140 <T	.180 <T	.	.
OCT	.380	.120 <T	.	.	.440	.420	.650	.820
NOV	.330	.090 <T	.	.	.500	.510	.700	.710
DEC	.400 <T	BDL	.	.	ISM	.360 <T	.890	.480 <T
VANADIUM (UG/L)								
DET'N LIMIT = .050								
GUIDELINE = N/A								
JAN	2.000	.040 <T	.	.	.110 <T	.050 <T	.120 <T	.110 <T
FEB	.040 <T	.190 <T	.	.	.050 <T	.120 <T	.140 <T	.150 <T
MAR	.240 <T	.050 <T	.	.	.080 <T	.100 <T	.260 <T	.250 <T
APR	.430 <T	.150 <T	.	.	.	.	.170 <T	.170 <T
MAY	.420 <T	.350 <T	.	.	.250 <T	.280 <T	.	.
JUN	.810	.770	.	.	.710	.680	.	.
JUL	.350 <T	.230 <T	.150 <T	.	.	.	.180 <T	.190 <T
AUG	.370 <T	.230 <T	.	.	.	.	.220 <T	.200 <T
SEP	.630	.220 <T	.	.	.150 <T	.180 <T	.	.
OCT	.450 <T	.120 <T	.	.	.110 <T	.140 <T	.140 <T	.130 <T

ENGINEERING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOWER SITE	RAW TYPE	TREATED	SITE 1		SITE 2		DOARS ROLLLOW
			STANDING	FREE FLOW	STANDING	FREE FLOW	
NOV	.270 <T	.040 <T	-	-	.180 <T	.160 <T	.190 <T
DEC	.580	.190 <T	-	-	15M	.320 <T	.190 <T
ZINC (UG/L)							
DET'N LIMIT = .001							
GUIDELINE = 5000. (A3)							
JAN	8.200	.760 <T	-	-	11.000	1.600	4.300
FEB	.370 <T	1.100	-	-	1.000 <T	7.900	1.600
MAR	2.100	1.200	-	-	16.000	2.500	3.600
APR	2.300	1.500	-	-	-	-	2.500
MAY	1.800	2.000	-	-	9.700	2.400	-
JUN	3.000	1.900	-	-	10.000	2.400	-
JUL	1.800	1.800	8.900	1.500	-	-	2.200
AUG	1.600	1.300	-	-	-	-	2.400
SEP	2.200	2.000	-	-	8.600	1.100	-
OCT	2.800	1.400	-	-	11.000	2.700	3.500
NOV	.960 <T	.620 <T	-	-	12.000	1.300	1.800
DEC	2.400	.970 <T	-	-	15M	11.000	2.400

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE	DOCKS HOLLOW	DOCKS HOLLOW				DOCKS HOLLOW			
		RAW	TREATED	SITE 1	SITE 2	FREE FLOW	STANDING	FREE FLOW	TREATED
TYPE				STANDING	STANDING				
PAH									
BENZO(K) FLUORANTHENE (NG/L)									
DET'M LIMIT = N/A									
GUIDELINE = 2.8 (DAT)									
JAN	1,000 <T	NDL	NDL	*	*	*	*	*	NDL
FEB	NDL	NDL	NDL	*	*	*	*	*	NDL
MAR	NDL	NDL	NDL	*	*	*	*	*	NDL
APR	NDL	NDL	NDL	*	*	*	*	*	NDL
MAY	NDL	NDL	NDL	*	*	*	*	*	NDL
JUN	NDL	NDL	NDL	*	*	*	*	*	NDL
JUL	NDL	NDL	NDL	*	*	*	*	*	NDL
AUG	NDL	NDL	NDL	*	*	*	*	*	NDL
SEP	NDL	NDL	NDL	*	*	*	*	*	NDL
OCT	NDL	NDL	NDL	*	*	*	*	*	NDL
NOV	NDL	NDL	NDL	*	*	*	*	*	NDL
DEC	NDL	NDL	NDL	*	*	*	*	*	NDL

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT		DOAMS HOLLOW					
PORT DOVER							
SITE	RAW	TREATED	SITE 1	FREE FLOW	STANDING	SITE 2	TREATED
TYPE	RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	TREATED
PESTICIDES & PCB							
ALPHA BHC (NG/L)		DET'N LIMIT = 1.000		GUIDELINE = 700 (G)			
JAN	2.000 <T	2.000 <T	-	-	-	2.000 <T	BOL
FEB	2.000 <T	1.000 <T	-	-	-	1.000 <T	BOL
MAR	BOL	BOL	-	-	-	BOL	BOL
APR	BOL	1.000 <T	-	-	-	-	BOL
MAY	BOL	BOL	-	-	-	BOL	-
JUN	BOL	BOL	-	-	-	BOL	-
JUL	1.000 <T	1.000 <T	-	BOL	-	-	BOL
AUG	BOL	BOL	-	-	-	-	BOL
SEP	BOL	BOL	-	-	-	BOL	-
OCT	1.000 <T	2.000 <T	-	-	-	2.000 <T	BOL
NOV	1.000 <T	1.000 <T	-	-	-	BOL	BOL
DEC	BOL	ILA	-	-	-	BOL	BOL
LINDANE (NG/L)							
		DET'N LIMIT = 1.000		GUIDELINE = 4000 (A1)			
JAN	BOL	1.000 <T	-	-	-	BOL	BOL
FEB	BOL	BOL	-	-	-	BOL	BOL
MAR	BOL	BOL	-	-	-	BOL	BOL
APR	BOL	BOL	-	-	-	-	-
MAY	BOL	BOL	-	-	-	BOL	-
JUN	BOL	BOL	-	-	-	BOL	BOL
JUL	BOL	BOL	-	-	-	-	BOL
AUG	BOL	BOL	-	-	-	-	-
SEP	BOL	BOL	-	-	-	BOL	-

TABLE 5
DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT		PORT DOWER		DOARS HOLLOW		
SITE	RAW	TREATED	SITE 1	SITE 2	RAW	TREATED
TYPE			STANDING	STANDING		
			FREE FLOW	FREE FLOW		

ATRAZINE (NG/L)) DET'N LIMIT = 50.00 GUIDELINE = 60000 (83)						
OCT	BOL	BOL	-	-	BOL	BOL
NOV	BOL	BOL	-	-	BOL	BOL
DEC	BOL	ILA	-	-	BOL	BOL

JAN BOL BOL - - BOL BOL						
FEB	BOL	BOL	-	-	BOL	BOL
MAR	BOL	BOL	-	-	BOL	BOL
APR	BOL	BOL	-	-	BOL	BOL
MAY	BOL	BOL	-	-	BOL	BOL
JUN	BOL	BOL	-	-	BOL	BOL
JUL	BOL	BOL	-	-	BOL	BOL
AUG	70,000 <T	BOL	-	-	BOL	BOL
SEP	BOL	BOL	-	-	BOL	BOL
OCT	BOL	BOL	-	-	BOL	BOL
NOV	BOL	BOL	-	-	BOL	BOL
DEC	BOL	BOL	-	-	BOL	BOL

D-ETHYL ATRAZINE (NG/L)) DET'N LIMIT = N/A GUIDELINE = N/A						
JAN	BOL	BOL	-	-	BOL	BOL
FEB	BOL	BOL	-	-	BOL	BOL
MAR	BOL	BOL	-	-	BOL	BOL
APR	BOL	BOL	-	-	BOL	BOL
MAY	BOL	BOL	-	-	BOL	BOL

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOWNS SUPPLY 1969

PLANT PORT DOWNS	SITE TYPE	RAW	TREATED	SITE 1		SITE 2		DOCKS MOLLOW	RAW	TREATED
				STANDING	FREE FLOW	STANDING	FREE FLOW			
JUN	BDL	BDL	BDL	.	.	.	BDL	.	BDL	BDL
JUL	BDL	BDL	BDL	.	BDL	.	.	.	BDL	BDL
AUG	BDL	BDL	230,000 <T	.	.	.	.	.	.	.
SEP	BDL	BDL	BDL	.	.	.	.	.	BDL	BDL
OCT	BDL	BDL	BDL	.	.	.	.	.	BDL	BDL
NOV	BDL	BDL	BDL	.	.	.	.	.	BDL	BDL
DEC	BDL	BDL	BDL	.	.	.	.	.	BDL	BDL

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1969

PLANT PORT DOVER SITE		DOAMS HOLLOW						
TYPE	RAW	TREATED	SITE 1		SITE 2		RAW	TREATED
			STANDING	FREE FLOW	STANDING	FREE FLOW		

PHENOLICS		GUIDELINE = 2.00 (A3)						
PHENOLICS (UG/L)		DET'N LIMIT = 0.2						

JAN	IPR	1.000	-	-	-	-	BOL	.600 <T
FEB	1.200	.600 <T	-	-	-	-	.400 <T	BOL
MAR	2.000	1.600	-	-	-	-	.800 <T	1.400
APR	1.600	1.600	-	-	-	-	.800 <T	BOL
MAY	.200 <T	.200 <T	-	-	-	-	-	-
JUN	.800 <T	.600 <T	-	-	-	-	-	-
JUL	1.000	1.000	-	-	-	-	4.000	.600 <T
AUG	1.000	.600 <T	-	-	-	-	1.200	BOL
SEP	.800 <T	.800 <T	-	-	-	-	-	-
OCT	1.800	1.600	-	-	-	-	1.000	BOL
NOV	.600 <T	1.000 <T	-	-	-	-	BOL	BOL
DEC	BOL	.400 <T	-	-	-	-	.400 <T	.400 <T

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOWER SUPPLY 1969

PLANT PORT DOWER SITE		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW		DOCKS HOLLOW	
-----------------------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--

DRINKING WATER SURVEILLANCE PROGRAM PORT DOWNS SUPPLY 1989

PLANT PORT DOWER SITE	RAM TYPE	TREATED	SITE 1		SITE 2		TREATED
			STANDING	FREE FLOW	STANDING	FREE FLOW	
ETHYLBENZENE (UG/L)							
			DET'N LIMIT = .050				
			GUIDELINE = 2.6 (B4)				
OCT	BDL	BDL	-	-	-	-	.100 <T
NOV	BDL	.050 <T	-	-	-	-	BDL
DEC	BDL	BDL	-	-	-	-	BDL
ETHYLBENZENE (UG/L)							
JAN	BDL	BDL	-	-	-	-	BDL
FEB	BDL	BDL	-	-	-	-	BDL
MAR	BDL	.050 <T	-	-	-	-	BDL
APR	BDL	.050 <T	-	-	-	-	BDL
MAY	BDL	BDL	-	-	-	-	BDL
JUN	BDL	BDL	-	-	-	-	BDL
JUL	.100 <T	.050 <T	-	.050 <T	-	-	BDL
AUG	BDL	BDL	-	-	-	-	BDL
SEP	BDL	BDL	-	-	-	-	BDL
OCT	BDL	BDL	-	-	-	-	BDL
NOV	BDL	BDL	-	-	-	-	BDL
DEC	BDL	BDL	-	-	-	-	BDL
M-XYLENE (UG/L)							
			DET'N LIMIT = .100				
			GUIDELINE = 300 (B4)				
JAN	BDL	BDL	-	-	-	-	BDL
FEB	BDL	BDL	-	-	-	-	BDL
MAR	BDL	BDL	-	-	-	-	BDL
APR	BDL	.200 <T	-	-	-	-	BDL
MAY	BDL	.100 <T	-	-	-	-	.100 <T

REPORTING WATER SURVEILLANCE PROGRAM POINT DOWER SUPPLY 1989

PLANT PORT DOWER		SITE		TREATED		SITE 1		SITE 2		RAW		TREATED	
TYPE		RAW		STANDING		FREE FLOW		STANDING		FREE FLOW		RAW	
OXYLENE (UG/L)													
GUIDELINE = 300 (84)													
JAN	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
JUL	.100 <T	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
AUG	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
SEP	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
OCT	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
NOV	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
DEC	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
GUIDELINE = .050													
DET'M LIMIT = .050													
OXYLENE (UG/L)													
JAN	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
FEB	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
MAR	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
APR	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
MAY	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
JUN	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
JUL	.050 <T	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
AUG	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
SEP	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
OCT	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
NOV	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
DEC	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
GUIDELINE = 46.5 (02)													
DET'M LIMIT = .050													
STYRENE (UG/L)													
JAN	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL	BOL
GUIDELINE = .100 <T													

TABLE 5

OPTIMIZING WATER SURVEILLANCE PROGRAM PORT DOWEN SUPPLY 1989

PLANT PORT DOWER SITE	DOAMS HOLLOW		SITE 1		SITE 2		TREATED
	RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	
TYPE	RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	TREATED
CHLOROFORM (UG/L)							
DET'M LIMIT = .100 GUIDELINE = 350 (A1*)							
FEB	MDL	MDL					MDL
MAR	.150 <T	.100 <T					.250 <T
APR	MDL	MDL					.100 <T
MAY	.050 <T	.100 <T					
JUN	.050 <T	.100 <T					
JUL	.150 <T	.250 <T		.350 <T			.200 <T
AUG	MDL	.100 <T					.100 <T
SEP	MDL	.050 <T					
OCT	MDL	MDL					MDL
NOV	MDL	.100 <T					.050 <T
DEC	MDL	MDL					.050 <T
JAN	2.000	27.300					MDL
FEB	19.800	.200 <T					MDL
MAR	.100 <T	28.500					MDL
APR	.200 <T	38.000					MDL
MAY	.200 <T	38.300					MDL
JUN	.300 <T	37.100					MDL
JUL	12.600	32.000		27.000			.800 <T
AUG	MDL	31.400					MDL
SEP	.300 <T	36.900					
OCT	.400 <T	36.100					MDL
NOV	.200 <T	29.900					MDL
DEC	MDL	25.100					MDL

SPRINKLING WATER SURVEILLANCE PROGRAM PORT COVER SUPPLY 1989

PLANT		DOUGLAS HOLLOW	
PORT DOWER		RAW	TREATED
SITE			
TYPE			
111, TRICHLOROETHANE (UG/L)			
		DET'N LIMIT = .020	GUIDELINE = 200 (D1)
JAN	BOL	BOL	BOL
FEB	BOL	.080 <T	BOL
MAR	BOL	BOL	BOL
APR	BOL	BOL	BOL
MAY	BOL	BOL	BOL
JUN	BOL	BOL	BOL
JUL	BOL	BOL	BOL
AUG	BOL	BOL	BOL
SEP	BOL	BOL	BOL
OCT	BOL	BOL	BOL
NOV	BOL	BOL	BOL
DEC	BOL	BOL	BOL
112, TRICHLOROETHANE (UG/L)			
		DET'N LIMIT = .050	GUIDELINE = 350 (A1+)
JAN	BOL	13.350	11.400
FEB	BOL	.150 <T	10.900
MAR	BOL	13.900	9.650
APR	BOL	16.250	BOL
MAY	BOL	14.700	13.400
JUN	BOL	16.450	14.050
JUL	BOL	13.850	BOL
AUG	BOL	13.450	BOL
SEP	BOL	15.400	13.000
OCT	BOL	14.300	9.500

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOVER SUPPLY 1989

PLANT PORT DOVER SITE		DOVERS HOLLOW				
RAW TYPE	TREATED	SITE 1	SITE 2	FREE FLOW	TREATED	
		STANDING	STANDING			
NOV	.100 <T	-	-	9,550	11,450	
DEC	BOL	-	-	9,700	11	
CHLORIDE/BROMOCHLORIDE (UG/L)) DET'N LIMIT = .100 (A1+)						
JAN	BOL	-	-	4,600	3,700	
FEB	4,400	-	-	4,200	2,900	
MAR	BOL	-	-	2,800	1,100	
APR	BOL	-	-	-	4,400	
MAY	BOL	-	-	5,200	-	
JUN	BOL	-	-	5,600	-	
JUL	2,900	-	-	-	4,900	
AUG	BOL	-	-	-	3,800	
SEP	.100 <T	-	-	5,900	-	
OCT	BOL	-	-	3,800	2,300	
NOV	BOL	-	-	3,800	3,400	
DEC	BOL	-	-	2,700	11	
BROMOFORM (UG/L)) DET'N LIMIT = .200 (A1+)						
JAN	BOL	-	-	.400 <T	.200 <T	
FEB	.400 <T	-	-	.400 <T	.200 <T	
MAR	BOL	-	-	.200 <T	BOL	
APR	BOL	-	-	-	.200 <T	
MAY	BOL	-	-	.400 <T	-	
JUN	BOL	-	-	.400 <T	-	

TABLE 5

DRINKING WATER SURVEILLANCE PROGRAM PORT DOWER SUPPLY 1989

PLANT PORT DOWER SITE		SITE 1		SITE 2		DOARS HOLLOW		
TYPE	RAW	TREATED	STANDING	FREE FLOW	STANDING	FREE FLOW	RAW	TREATED
JUL	.400 <T	.600 <T	-	.600 <T	-	-	BOL	.400 <T
AUG	BOL	.600 <T	-	-	-	-	BOL	.200 <T
SEP	BOL	.600 <T	-	-	-	.600 <T	-	-
OCT	BOL	.400 <T	-	-	-	.200 <T	BOL	BOL
NOV	BOL	.200 <T	-	-	-	.200 <T	BOL	BOL
DEC	BOL	.600 <T	-	-	-	.200 <T	BOL	10
TOTAL TRIMALONTIMARES (UG/L)								
			DET'M LIMIT = .500		GUIDELINE = 350 (A1)			
JAN	2.300 <T	66.150	-	-	-	37.470	BOL	41.050
FEB	36.150	BOL	-	-	-	35.100	BOL	28.550
MAR	BOL	47.900	-	-	-	36.150	BOL	33.150
APR	BOL	60.550	-	-	-	-	BOL	49.900
MAY	BOL	58.900	-	-	-	47.600	-	-
JUN	BOL	60.950	-	-	-	51.150	-	-
JUL	22.600	51.950	-	44.800	-	-	.000 <T	50.800
AUG	BOL	51.050	-	-	-	-	BOL	33.400
SEP	.600 <T	59.100	-	-	-	47.000	-	-
OCT	.500 <T	55.700	-	-	-	41.000	BOL	63.400
NOV	BOL	47.400	-	-	-	30.350	BOL	43.850
DEC	BOL	45.250	-	-	-	29.550	BOL	10

TRACE LEVELS OF TOLUENE ARE LABORATORY ARTIFACTS DERIVED FROM THE ANALYTICAL METHODOLOGY.

TRACE LEVELS OF STYRENE ARE CONSIDERED TO BE LABORATORY ARTIFACTS RESULTING FROM THE LABORATORY SHIPPING CONTAINERS.

Table 6

SCAN/PARAMETER	UNIT	DETECTION LIMIT	GUIDELINE
BACTERIOLOGICAL			
FECAL COLIFORM MEMBRANE FILTRATION	CT/100ML	0	0 (A1)
STANDARD PLATE COUNT MEMBRANE FILTRATION	CT/ML	0	500/ML(A1)
TOTAL COLIFORM MEMBRANE FILTRATION	CT/100ML	0	5/100ML(A1)
TOTAL COLIFORM BACKGROUND MF	CT/100ML	0	N/A
CHLORODROMATICS			
HEXACHLOROBUTADIENE	NG/L	1.000	450. (D4)
1,2,3-TRICHLOROBENZENE	NG/L	5.000	10000 (I)
1,2,3,4-TETRACHLOROBENZENE	NG/L	1.000	10000 (I)
1,2,3,5-TETRACHLOROBENZENE	NG/L	1.000	10000 (I)
1,2,4-TRICHLOROBENZENE	NG/L	5.000	10000 (I)
1,2,4,5-TETRACHLOROBENZENE	NG/L	1.000	38000 (D4)
1,3,5-TRICHLOROBENZENE	NG/L	5.000	10000 (D4)
HEXACHLOROBENZENE	NG/L	1.0	10. (C1)
HEXACHLOROETHANE	NG/L	1.000	1900. (D4)
OCTACHLOROSTYRENE	NG/L	1.000	N/A
PENTACHLOROBENZENE	NG/L	1.000	74000 (D4)
2,3,6-TRICHLOROTOLUENE	NG/L	5.000	N/A
2,4,5-TRICHLOROTOLUENE	NG/L	5.000	N/A
2,6,8-TRICHLOROTOLUENE	NG/L	5.000	N/A
CHLOROPHENOLS			
2,3,4-TRICHLOROPHENOL	NG/L	50.	N/A
2,3,4,5-TETRACHLOROPHENOL	NG/L	50.	N/A
2,3,5,6-TETRACHLOROPHENOL	NG/L	50.	N/A
2,4,5-TRICHLOROPHENOL	NG/L	50.	2600000 (D4)
2,4,6-TRICHLOROPHENOL	NG/L	50.	2000. (B4)
PENTACHLOROPHENOL	NG/L	50.	30000. (B4)
CHEMISTRY (FLD)			
FIELD COMBINED CHLORINE RESIDUAL	MG/L	N/A	N/A
FIELD FREE CHLORINE RESIDUAL	MG/L	N/A	N/A
FIELD TOTAL CHLORINE RESIDUAL	MG/L	N/A	N/A
FIELD PH	DMSNLESS	N/A	6.5-8.5(A4)
FIELD TEMPERATURE	°C	N/A	<15 °C(A1)
FIELD TURBIDITY	FTU	N/A	1.0 (A1)
CHEMISTRY (LAB)			
ALKALINITY	MG/L	.200	30-500(A4)
CALCIUM	MG/L	.100	100. (F2)
CYANIDE	MG/L	.001	.20(A1)
CHLORIDE	MG/L	.200	250. (A3)
COLOUR	TCU	.5	5.0 (A3)
CONDUCTIVITY	UMHO/CM	1.	400. (F2)
FLUORIDE	MG/L	.01	2.4 (A1)
HARDNESS	MG/L	.50	80-100(A4)
MAGNESIUM	MG/L	.05	30. (F2)
SODIUM	MG/L	.20	200. (C3)
AMMONIUM TOTAL	MG/L	.002	.05(F2)
DETECTION			
SCAN/PARAMETER	UNIT	LIMIT	GUIDELINE
NITRITE	MG/L	.001	1.0 (A1)
TOTAL NITRATES	MG/L	.02	10. (A1)
NITROGEN TOTAL KJELDAHL	MG/L	.02	N/A
PH	DMSNLESS	N/A	6.5-8.5(A4)
PHOSPHORUS FIL REACT	MG/L	.0005	N/A
PHOSPHORUS TOTAL	MG/L	.002	.40(F2)
SULPHATE	MG/L	.200	300. (A3)
TOTAL SOLIDS	MG/L	1.	500. (A3)
TURBIDITY	FTU	.02	1.0 (A1)

ANTIMONY	UG/L	.050	10. (F3)
ARSENIC	UG/L	.050	50. (A1)
BARIUM	UG/L	.020	1000. (A1)
BORON	UG/L	.200	5000. (A1)
BERYLLIUM	UG/L	.010	0.20 (H)
CADMIUM	UG/L	.050	5.0 (A1)
COBALT	UG/L	.020	1000. (H)
CHROMIUM	UG/L	.100	50. (A1)
COPPER	UG/L	.100	1000. (A3)
IRON	UG/L	5.0	300. (A3)
MERCURY	UG/L	.01	1.0 (A1)
MANGANESE	UG/L	.050	50. (A3)
MOLYBDENUM	UG/L	.020	500. (H)
NICKEL	UG/L	.100	50. (F3)
LEAD	UG/L	.020	50. (A1)
SELENIUM	UG/L	.200	10. (A1)
SILVER	UG/L	.020	50. (A1)
STRONTIUM	UG/L	.100	2000. (H)
THALLIUM	UG/L	.010	13. (D4)
TITANIUM	UG/L	.100	N/A
URANIUM	UG/L	.020	20. (A2)
VANADIUM	UG/L	.020	100. (H)
ZINC	UG/L	.020	5000. (A3)

PHENOLICS

PHENOLICS (UNFILTERED REACTIVE)	UG/L	.2	2.0 (A3)
---------------------------------	------	----	----------

PESTICIDES & PCB

ALDRIN	NG/L	1.0	700. (A1)
AMETHRINE	NG/L	50.	300000. (D3)
ATRAZINE	NG/L	50.	60000. (B3)
ALPHA HEXACHLOROCYCLOHEXANE (BHC)	NG/L	1.0	700. (G)
BETA HEXACHLOROCYCLOHEXANE (BHC)	NG/L	1.0	300. (G)
GAMMA HEXACHLOROCYCLOHEXANE (LINDANE)	NG/L	1.0	4000. (A1)
ALPHA CHLORDANE	NG/L	2.0	7000. (A1)
GAMMA CHLORDANE	NG/L	2.0	7000. (A1)
BLADEN	NG/L	100.	10000. (B3)
DIELDRIN	NG/L	2.0	700. (A1)
METHOXYCHLOR	NG/L	5.0	900000. (B1)
ENDOSULFAN 1 (THIODAN I)	NG/L	2.0	74000. (D4)
ENDOSULFAN 2 (THIODAN II)	NG/L	4.0	74000. (D4)
ENDRIN	NG/L	4.0	200. (A1)
ENDOSULFAN SULPHATE (THIODAN SULPHATE)	NG/L	4.0	N/A

DETECTION

SCAN/PARAMETER	UNIT	LIMIT	GUIDELINE
HEPTACHLOR EPOXIDE	NG/L	1.0	3000. (A1)
HEPTACHLOR	NG/L	1.0	3000. (A1)
METOLACHLOR	NG/L	500.	50000. (B3)
MIREX	NG/L	5.0	N/A
OKYCHLORDANE	NG/L	2.0	N/A
O,P-DDT	NG/L	5.0	30000. (A1)
PCB	NG/L	20.0	3000. (A2)
O,P-DDD	NG/L	5.0	N/A
PPDE	NG/L	1.0	30000. (A1)
PPDDT	NG/L	5.0	30000. (A1)
ATRAZONE	NG/L	50.	N/A
ALACHLOR	NG/L	500.	35000. (D2)
PROMETONE	NG/L	50.	52500. (D3)
PROPAZINE	NG/L	50.	16000. (D2)
PROMETRYNE	NG/L	50.	1000. (B3)
SENCOR (METRIBUZIN)	NG/L	100.	80000. (B2)
SIMAZINE	NG/L	50.	10000. (B3)

POLYAROMATIC HYDROCARBONS

PHENANTHRENE	NG/L	10.0	N/A
ANTHRACENE	NG/L	1.0	N/A
FLUORANTHENE	NG/L	20.0	42000. (D4)
PYRENE	NG/L	20.0	N/A
BENZO(A)ANTHRACENE	NG/L	20.0	N/A
CHRYSENE	NG/L	50.0	N/A
DIMETHYL BENZO(A)ANTHRACENE	NG/L	5.0	N/A
BENZO(E)PYRENE	NG/L	50.0	N/A
BENZO(B)FLUORANTHENE	NG/L	10.0	N/A

PERYLENE	NG/L	10.0	N/A
BENZO(K)FLUORANTHENE	NG/L	1.0	N/A
BENZO(A)PYRENE	NG/L	3.0	10. (B1)
BENZO(G,H,I)PERYLENE	NG/L	20.0	N/A
DIBENZO(A,H)ANTHRACENE	NG/L	10.0	N/A
INDENO(1,2,3-C,D)PYRENE	NG/L	20.0	N/A
BENZO(B)CHRYSENE	NG/L	2.0	N/A
CORONENE	NG/L	10.0	N/A

SPECIFIC PESTICIDES

TOXAPHENE	NG/L	N/A	5000. (A1)
2,4,5-TRICHLOROBUTYRIC ACID (2,4,5-T)	NG/L	50.	200000. (B4)
2,4-DICHLOROBUTYRIC ACID (2,4-D)	NG/L	100.	100000. (A1)
2,4-DICHLOROPHENOXYBUTYRIC ACID	NG/L	200.	18000. (B3)
2,4-D PROPIONIC ACID	NG/L	100.	N/A
DICAMBA	NG/L	100.	120000. (B1)
PICLORAM	NG/L	100.	190000. (B3)
SILVEX (2,4,5-TP)	NG/L	50.	10000. (A1)
DIAZINON	NG/L	20.	20000. (B1)
DICHLOROVOS	NG/L	20.	N/A
DURSBAN	NG/L	20.	N/A
ETHION	NG/L	20.	35000. (G)
GUTHION(AZINPHOSMETHYL)	NG/L	N/A	20000. (B1)
MALATHION	NG/L	20.	190000. (B1)
MEVINPHOS	NG/L	20.	N/A
METHYL PARATHION	NG/L	50.	7000. (A1)
METHYLTRITHION	NG/L	20.	N/A

DETECTION

SCAN/PARAMETER	UNIT	LIMIT	GUIDELINE
PARATHION	NG/L	20.	50000. (B1)
PHORATE (THIET)	NG/L	20.	2000. (B3)
RELDAN	NG/L	20.	N/A
RONNEL	NG/L	20.	N/A
AMINOCARB	NG/L	N/A	N/A
BENOMYL	NG/L	N/A	N/A
BLX (METALAMATE)	NG/L	2000.	N/A
CARBOFURAN	NG/L	2000.	90000. (B1)
CICP (CHLOROPHAM)	NG/L	2000.	350000. (G)
DIALLATE	NG/L	2000.	30000. (H)
EPTAM	NG/L	2000.	N/A
IPC	NG/L	2000.	N/A
PROPOXUR (BAYGON)	NG/L	2000.	90000. (G)
SEVIN (CARBARYL)	NG/L	200.	90000. (B1)
SUTAN (BUTYLATE)	NG/L	2000.	245000. (D3)

VOLATILES

BENZENE	UG/L	.050	5.0 (P1)
TOLUENE	UG/L	.050	24.0 (B4)
ETHYLBENZENE	UG/L	.050	2.4 (B4)
PARA-XYLENE	UG/L	.100	300. (B4)
META-XYLENE	UG/L	.100	300. (B4)
ORTHO-XYLENE	UG/L	.050	300. (B4)
1,1-DICHLOROETHYLENE	UG/L	.100	7.0 (D1)
ETHYLENE DIBROMIDE	UG/L	.05	.05 (G)
METHYLENE CHLORIDE	UG/L	.500	50. (B1)
TRANS-1,2-DICHLOROETHYLENE	UG/L	.100	70. (D5)
1,1-DICHLOROETHANE	UG/L	.100	N/A
CHLOROFORM	UG/L	.100	350. (A1+)
1,1,1-TRICHLOROETHANE	UG/L	.020	200. (D1)
1,2-DICHLOROETHANE	UG/L	.050	5.0 (D1)
CARBON TETRACHLORIDE	UG/L	.200	5.0 (B1)
1,2-DICHLOROPROPANE	UG/L	.050	6.0 (D5)
TRICHLOROETHYLENE	UG/L	.100	50. (B1)
DICHLOROBROMOMETHANE	UG/L	.050	350. (A1+)
1,1,2-TRICHLOROETHANE	UG/L	.050	.60(D4)
CHLORODIBROMOMETHANE	UG/L	.100	350. (A1+)
TETRACHLOROETHYLENE	UG/L	.050	10.0 (C2)
BROMOFORM	UG/L	.200	350. (A1+)
1,1,2,2-TETRACHLOROETHANE	UG/L	.050	0.17(D4)
CHLOROBENZENE	UG/L	.100	60. (D5)
1,4-DICHLOROBENZENE	UG/L	.100	1.0 (B4)
1,3-DICHLOROBENZENE	UG/L	.100	130. (G)

1,2-DICHLOROBENZENE
TRIFLUOROCHLOROTOLUENE
TOTAL TRINALOMETHANES
STYRENE

UG/L	.050	3.0 (84)
UG/L	.100	N/A
UG/L	.500	350. (A1)
UG/L	.05	140. (09)